

EXPORT PRICE LIST

EFFECTIVE FROM MARCH 2025

LIFTING EQUIPMENT

AND ORIGINAL ACCESSORIES



SICE
AUTOMOTIVE EQUIPMENT

REL. MAY 2025

COLOR TABLE

- 1) The standard company color of our lifting equipment is red RAL 3002 (->/16 or/15).
- 2) Any request for special painting according to the official RAL table has a specific fee (the surcharge is listed in the price list based on the selected range of lifters).

WARNING

THE FREE-OF-CHARGE CUSTOMIZATION KIT IS COMPULSORY AND MUST BE ALWAYS ORDERED TOGETHER WITH THE PART-NO. OF THE SELECTED LIFT.

GENERAL TERMS AND CONDITIONS

PRICE LIST - This export price list covering standard production equipment, cancels and replaces all previous ones.

PACKAGING - Standard packaging is included in the price of each product.

FOREIGN CURRENCIES - Prices in currencies different from Euro, can be accepted upon agreement on rates of exchange.

FLUCTUATIONS - Prices mentioned on offers in currencies different from Euro, will be automatically adjusted on order confirmations in case of rate of exchange fluctuations exceeding 2 percent.

ORDERING TERMS - When ordering please always specify model code number, quantity and the exact voltage rating (phase, Volts, cycles) required.

SHIPMENT TERMS - Terms of shipments are FCA WAREHOUSE CORREGGIO – Incoterms®2010, ICC Paris.

MODIFICATIONS - SICE reserves the right to change design and specifications to its machines at any time without prior notice or obligation.

JURISDICTION - In case of dispute, the Reggio Emilia Law-Courts alone shall have authority.

TERMS OF WARRANTY

- a. NEXION SPA guarantees that its PRODUCTS will function properly, without any defects in materials or processing, for 12 (twelve) months. The warranty period starts from the date of installation of the products, and shall not in any case exceed 18 (eighteen) months from the date when the products were shipped by NEXION SPA
- b. NEXION SPA must be directly notified of the installation date within a reasonable period of time, after which the said notice shall have no effect.
- c. During the warranty period, the PURCHASER shall be entitled to repair or replacement, in both cases free of charge, of those components which NEXION SPA considers, at its own absolute discretion, to be faulty.
- d. This warranty does not include damage caused to the product by poor installation, incorrect connection to the power supply system, variations in voltage, incorrect or improper use by the user, or tampering by staff not authorised by NEXION SPA and/ or its authorised dealers.
- e. Damage caused by weather or fire, failures caused by transport, and parts subject by their nature or use to normal wear in tear, are also excluded from the warranty.
- f. Requests for after-sales service must be made directly to NEXION SPA or its authorised dealers, specifying the type of machine, the serial number, the defect and the installation date.
- g. The repair and/or replacement of pieces shall lead to an extension or renewal of the warranty on the parts concerned, lasting 6 months.
- h. NEXION SPA shall not be liable for direct or indirect damage incurred in any way by the PURCHASER, the user or third parties, as a consequence of the use, improper use or unavailability for use of the products covered by this warranty.

N. B.: For other conditions please refer to the "Distribution Agreement".

NEXION SPA reserves the right to change the specifications of its products at any time without prior notice. The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.

SUMMARY

UNDER-WHEEL SCISSOR LIFTS

PSR XT65	
COMPULSORY ACCESSORIES - PSR XT65	
OPTIONAL ACCESSORIES - PSR XT65	
PSR 50 WITH LIFT TABLE SERIES	
PSR 50 WITHOUT LIFT TABLE SERIES	
COMPULSORY ACCESSORIES PSR 50	
OPTIONAL ACCESSORIES PSR 50	
PSR 43 SERIES	
COMPULSORY ACCESSORIES PSR 43	
OPTIONAL ACCESSORIES PSR 43	
OPTIONAL ACCESSORIES PSR 43	
PSR 55C CT LT	
PSR 55C CT	
PSR 55C	
PSR 45C CT LT	
PSR 45C CT	
PSR 45C	
ACCESSORIES	

INGROUND LIFTS

PISC 3500.2 EVO	
PIDC 35.2 EVO	
PIDC 55.2	
COMPULSORY ACCESSORIES	
OPTIONAL ACCESSORIES	

UNDERBODY DOUBLE SCISSOR LIFTS - LOW PROFILE

PSC 3000/ 3500/ 4000 SERIES	
OPTIONAL ACCESSORIES	
PSC 3000E/ 3500E SERIES	
OPTIONAL ACCESSORIES	
PSC 3200C EF	
PSC 3600C EF	
OPTIONAL ACCESSORIES	

UNDERBODY DOUBLE SCISSOR LIFTS - HIGH PROFILE

PSCA 35 T -IN-PIT VERSION	
PSCA 40 T -IN-PIT VERSION	

5	PSCA 35E - INCASSO	58
5	PSCA 40E - INCASSO	58
7	OPTIONAL ACCESSORIES - PSCA 35T - 35E - 40T - 40E - IN-PIT VERSION	59
10	PSCA 36C T E	61
14	PSCA 40C T E	62
15	OPTIONAL ACCESSORIES	63
17		
18	UNDERBODY SINGLE SCISSOR LIFTS - LOW PROFILE	65
22	PSCE 300	65
24	PSCE 305	65
25	OPTIONAL ACCESSORIES	66
26	PSCE 350C B	69
29	OPTIONAL ACCESSORIES	70
30		
31	ELECTRO-MECHANICAL TWO POST LIFTS	72
32	PDC 30	72
33	PDC 35	73
34	OPTIONAL ACCESSORIES - PDC 30 - PDC 35	74
35	PDC 32N	77
	PDC 32N CEL	78
37	PDC 40N CEL	79
37	PDC 40 ELX	80
38	PDC 50	81
39	COMPULSORY ACCESSORIES - PDC 32N - 40N - PDC 40 ELX - PDC 50	82
40		
41	ELECTRO-HYDRAULIC TWO POST LIFTS	85
	PDCH 32 SERIES	85
44	COMPULSORY ACCESSORIES - PDCH 32 SERIES	86
44	OPTIONAL ACCESSORIES - PDCH 32 SERIES	86
45	PDCH 35C B	87
49	PDCH 45C B	88
51	PDCH 40E SERIES	91
53	PDCH 40N SERIES	92
54	PDCH 50 SERIES	93
55	COMPULSORY ACCESSORIES PDCH 40E-PDCH 40N-PDCH 50	94
	OPTIONAL ACCESSORIES PDCH 40E-PDCH 40N-PDCH 50	95
57	PDCH 55 XV SERIES	97
57	COMPULSORY ACCESSORIES - PDCH 55 XV	98
57	OPTIONAL ACCESSORIES - PDCH 55XV	98

PDCH 45C	99
PDCH 55C	100
OPTIONAL ACCESSORIES	101
<i>ELECTRO-HYDRAULIC FOUR POST LIFTS</i>	<i>103</i>
PQC 40 SERIES	103
PQC 50 SERIES	104
COMPULSORY ACCESSORIES PQC 40 - PQC 50 SERIES	105
OPTIONAL ACCESSORIES PQC 40 - PQC 50 SERIES	105
<i>PLATFORM LIFTS</i>	<i>107</i>
S 227	107
OPTIONAL ACCESSORIES S 227	108
<i>MOTORCYCLE LIFTS</i>	<i>109</i>
PM 26	109
PM 23	109
OPTIONAL ACCESSORIES PM 26 - PM 23	110
<i>AIR HYDRAULIC JACKS</i>	<i>113</i>
K002	113
K118	113
K240	113
K240P	113
K330	113
K440	113
<i>LIFTS FOR TRUCKS AND INDUSTRIAL VEHICLES WITH MOBILE COLUMNS</i>	<i>114</i>
MC 75	114
MC 55	115
OPTIONAL ACCESSORIES - MC 75 - MC 55	116

PSR XT65

6500




Code	Electric Supply	Description	Price €
0-42400700/15	400-230V/ 3Ph/ 50-60Hz	PSR XT65 CT LT for complete alignment, Lift Table	31.602,00
0-42400800/15	400-230V/ 3Ph/ 50-60Hz	PSR XT65 CT LT PT8 for complete alignment, Lift Table and 8 mov. Play detector.	37.165,00
Hot dip galvanizing treatment on the lift (for further info, please contact the export dept.)			-
Hot dip galvanizing treatment on accessories			+20% on the price of the single accessory
Extra-charge for special colors			677,00



Installation Configuration PSR XT 65

		Installation in pit		FLOOR Installation			
		A	B	C	D	E	F
		<i>Flap and Front Stopper</i>	<i>Drive Through Ramps</i>	<i>Ramps on Floor</i>	<i>Hanging Ramps</i>	<i>Drive Through Ramps on floor</i>	<i>Drive Through hanging ramps</i>
Accessory description		Q.ty	Q.ty	Q.ty	Q.ty	Q.ty	Q.ty
8-42120012	<i>Floor ramp kit L = 1430 mm</i>			1		2	
8-42120010	<i>Flap wheel stop (2 pcs)</i>	1	2	1		2	
8-42120011	<i>Front wheel block kit (2 pcs)</i>	1		1	1		
8-42120018	<i>On-floor installation kit</i>			1	1	1	1
8-42120019	<i>In-pit installation kit</i>	1	1				
8-42100247/00	<i>Two-Part splitted ramp</i>				1		2


COMPULSORY ACCESSORIES - PSR XT65

Image	Description	Code	Price €		
				PSR XT65 CT LT	PSR XT65 CT LT PT8
	Flap wheel stop (2pcs).	8-42120010	401,00	O	O
	Front wheel block kit (2pcs).	8-42120011	270,00	O	O


COMPULSORY ACCESSORIES - PSR XT65

Image	Description	Code	Price €	PSR XT65 CT LT	PSR XT65 CT LT PT8
	Floor ramps kit (2pcs). L=1430 mm	8-42120012	426,00	O	O
	On-floor installation kit .	8-42120018	130,00	O	O




COMPULSORY ACCESSORIES - PSR XT65

Image	Description	Code	Price €	PSR XT65 CT LT	PSR XT65 CT LT PT8
	In-pit <i>installation kit</i> .	8-42120019	59,00	O	O

OPTIONAL ACCESSORIES - PSR XT65

Image	Description	Code	Price €	PSR XT65 CT LT	PSR XT65 CT LT PT8
	Two-Part splitted ramp L=1630 mm	8-42100247/00	2.341,00	O	O

OPTIONAL ACCESSORIES - PSR XT65

Image	Description	Code	Price €		
				PSR XT65 CT LT	PSR XT65 CT LT PT8
	Pipes protection kit.	8-42120014	40,00	O	O
	Angle protections kit for pipes.	8-42120015	62,00	O	O
	Lighting kit (4 leds).	8-42120003	601,00	O	O

OPTIONAL ACCESSORIES - PSR XT65

Image	Description	Code	Price €		
				PSR XT65 CT LT	PSR XT65 CT LT PT8
	Pipes extension kit , L = 1 m (HC1-T).	8-42120004	295,00	O	-
	Pipes extension kit , L = 2 m (HC2-T).	8-42120006	375,00	O	-
	Pipes extension kit , L = 1 m.	8-42120026	342,00	-	O
	Pipes extension kit , L = 2 m.	8-42120027	457,00	-	O
	Set of 4 extensions for pad (H=80 mm)	8-43300014	316,00	O	O
	Set of 4 extensions for pad (H=140mm)	8-43300015	615,00	O	O
	Set of 4 extensions for pad (H=35)	8-43300021	158,00	O	O

OPTIONAL ACCESSORIES - PSR XT65

Image	Description	Code	Price €	PSR XT65 CT LT	PSR XT65 CT LT PT8
	Support beams (4 pcs.)	8-42120007	623,00	O	O

PSR 50 WITH LIFT TABLE SERIES

5000



Code	Electric Supply	Description	Price €
0-42109500/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 LT , flat runways	23.437,00
0-42109700/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 LT PT2 , flat runways, 2 mov. play detector.	27.343,00
0-42109710/15	400V/ 3Ph/ 50Hz	PSR 50 LT PT2 FAST , flat runways, 2 mov. play detector, FAST version.	27.737,00
0-42109750/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 LT PT6 , flat runways, 6 mov. play detector.	28.256,00
0-42109760/15	400V/ 3Ph/ 50Hz	PSR 50 LT PT6 FAST , flat runways, 6 mov. play detector, FAST version.	28.645,00
0-42109770/15	400V/ 3Ph/ 50Hz	PSR 50 LT PT6 Wi FAST , flat runways, 6 mov. play detector, FAST version, Wireless for play detector	29.558,00
0-42110200/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 CT LT , for complete alignment.	26.015,00
0-42109900/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 CT LT PT2 , for complete alignment, 2 mov. play detector.	29.690,00
0-42109910/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 CT LT PT2 FAST , for complete alignment, 2 mov. play detector, FAST version.	30.312,00
0-42110300/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 CT LT PT6 for complete alignment, 6 mov. play detector.	30.625,00
0-42110360/15	400V/ 3Ph/ 50Hz	PSR 50 CT LT PT6 FAST , for complete alignment, 6 mov. play detector, FAST version.	31.172,00
0-42100370/15	400V/ 3Ph/ 50Hz	PSR 50 CT LT PT6 Wi FAST , for complete alignment, 6 mov. play detector, FAST version, Wireless for play detector.	32.032,00
Hot dip galvanizing treatment on the lift			4.049,00
Hot dip galvanizing treatment on accessories			+20% on the price of the single accessory
Extra-charge for special colors			677,00

PSR 50 WITHOUT LIFT TABLE SERIES

5000



Code	Electric Supply	Description	Price €
0-42109400/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 flat runways.	19.532,00
0-42109600/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 PT2 flat runways, 2 mov. play detector.	23.437,00
0-42109610/15	400V/ 3Ph/ 50Hz	PSR 50 PT2 FAST flat runways, 2 mov. play detector, FAST version.	23.832,00
0-42109650/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 PT6 flat runways, 6 mov. play detector.	24.350,00
0-42109660/15	400V/ 3Ph/ 50Hz	PSR 50 PT6 FAST flat runways, 6 mov. play detector, FAST version.	24.742,00
0-42109670/15	400V/ 3Ph/ 50Hz	PSR 50 PT6 Wi FAST flat runways, 6 mov. play detector, FAST version, Wireless for play detector.	25.521,00
0-42109800/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 CT for complete alignment.	22.140,00
0-42111200/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 CT PT2 for complete alignment, 2 mov. play detector.	26.047,00
0-42111210/15	400V/ 3Ph/ 50Hz	PSR 50 CT PT2 FAST for complete alignment, 2 mov. play detector.	26.434,00
0-42111250/15	400-230V/ 3Ph/ 50-60Hz	PSR 50 CT PT6 for complete alignment, 6 mov. play detector.	26.954,00
0-42111260/15	400V/ 3Ph/ 50Hz	PSR 50 CT PT6 FAST for complete alignment, 6 mov. play detector, FAST version.	27.343,00
0-42111270/15	400V/ 3Ph/ 50Hz	PSR 50 CT PT6 Wi FAST or complete alignment, 6 mov. play detector, FAST version, Wireless for play detector.	28.125,00
Hot dip galvanizing treatment on the lift			4.049,00
Hot dip galvanizing treatment on accessories			+20% on the price of the single accessory
Extra-charge for special colors			677,00

Installation Configuration PSR 50 with lift table

		Flush Installation		On-Floor Installation			
		A	B	C	D	E	F
		<i>Flap and Front Stopper</i>	<i>Drive Through Ramps</i>	<i>Ramps on Floor</i>	<i>Hanging ramps</i>	<i>Drive Through Ramps on floor</i>	<i>Drive Through hanging ramps</i>
Accessory description		Quantity	Quantity	Quantity	Quantity	Quantity	Quantity
8-42300048	<i>Floor ramp kit L=1300 mm</i>			1		2	
8-42300054	<i>Flap wheel stop (2pcs)</i>	1	2	1		2	
8-42300055	<i>Front wheel block kit</i>	1		1	1		
8-42300056	<i>On-floor installation kit</i>			1	1	1	1
8-42300057	<i>In-pit installation kit</i>	1	1				
8-42100236/S34	<i>Two-part splitted drive-on ramps L1630 mm</i>				1		2


Installation Configuration PSR 50 without lift Table

		Flush Installation		On-Floor Installation			
		A	B	C	D	E	F
		<i>Flap and Front Stopper</i>	<i>Drive Through Ramps</i>	<i>Ramps on Floor</i>	<i>Hanging ramps</i>	<i>Drive Through Ramps on floor</i>	<i>Drive Through hanging ramps</i>
Accessory description		Quantity	Quantity	Quantity	Quantity	Quantity	Quantity
8-42300048	<i>Floor ramp kit L=1300 mm</i>			1		2	
8-42300054	<i>Flap wheel stop (2pcs)</i>	1	2	1		2	
8-42300055	<i>Front wheel block kit</i>	1		1	1		
8-42300056	<i>On-floor installation kit</i>			1	1	1	1
8-42300057	<i>In-pit installation kit</i>	1	1				
8-42100236/S34	<i>Two-part splitted drive-on ramps L1630 mm</i>				1		2



COMPULSORY ACCESSORIES PSR 50

COMPULSORY ACCESSORIES PSR 50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
-------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--





OPTIONAL ACCESSORIES PSR 50

Image	Description	Code	Price €																
				PSR 50 LT	PSR 50 LT PT2	PSR 50 LT PT2 FAST	PSR 50 LT PT6	PSR 50 LT PT6 FAST	PSR 50 LT PT6 Wi FAST	PSR 50 CT LT	PSR 50 CT LT PT2	PSR 50 CT LT PT2 FAST	PSR 50 CT LT PT6	PSR 50 CT LT PT6 FAST	PSR 50 CT LT PT6 Wi FAST	PSR 50	PSR 50 PT2	PSR 50 PT2 FAST	PSR 50 PT6
	In-pit <i>installation kit</i> .	8-42300057	144,00	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	<i>Kit of spacers</i> to reduce the size of the turntable housing to 460 mm, only for CT LT versions.	8-42300058	627,00	-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	-
	<i>Extra floor ramp kit</i> . L closed =1120 mm L open =1920 mm L intermediate =1520 mm	8-42300030	1.376,00	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	<i>Lighting kit</i> (4 leds).	8-42300060	621,00	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Set of 4 pads, H=80 mm.	8-42300027	210,00	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Set of 4 pads, H=40 mm.	8-42300028	199,00	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O

OPTIONAL ACCESSORIES PSR 50

OPTIONAL ACCESSORIES PSR 50				PSR 50 LT	PSR 50 LT PT2	PSR 50 LT PT2 FAST	PSR 50 LT PT6	PSR 50 LT PT6 FAST	PSR 50 LT PT6 Wi FAST	PSR 50 CT LT	PSR 50 CT LT PT2	PSR 50 CT LT PT2 FAST	PSR 50 CT LT PT6	PSR 50 CT LT PT6 FAST	PSR 50 CT LT PT6 Wi FAST	PSR 50	PSR 50 PT2	PSR 50 PT2 FAST	PSR 50 PT6	PSR 50 PT6 FAST	PSR 50 PT6 Wi FAST	PSR 50 CT	PSR 50 CT PT2	PSR 50 CT PT2 FAST	PSR 50 CT PT6	PSR 50 CT PT6 FAST	PSR 50 CT PT6 Wi FAST
Image	Description	Code	Price €																								
	Two-part splitted drive-on ramps L1630 mm	8-42100236/S34	2.064,00	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Pipe <i>extensions kit</i> , L= 4m	8-42300064	457,00	-	O	O	O	O	O	-	O	O	O	O	O	-	-	-	-	-	-	-	-	-	-	-	-
	Pipe <i>extensions kit</i> , L= 4m	8-42300095	375,00	O	-	-	-	-	-	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pipe <i>extensions kit</i> , L= 4m	8-42300097	375,00	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	-	O	O	O	O	O
	Pipe <i>extensions kit</i> , L= 4m	8-42300094	295,00	-	-	-	-	-	-	-	-	-	-	-	-	O	-	-	-	-	-	O	-	-	-	-	-
	Pipe <i>extensions kit</i> , L= 2m	8-42300080	342,00	-	O	O	O	O	O	-	O	O	O	O	O	-	-	-	-	-	-	-	-	-	-	-	-
	Pipe <i>extensions kit</i> , L= 2m	8-42300100	295,00	O	-	-	-	-	-	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pipe <i>extensions kit</i> , L= 2m	8-42300102	295,00	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	-	O	O	O	O	O
	Pipe <i>extensions kit</i> , L= 2m	8-42300099	251,00	-	-	-	-	-	-	-	-	-	-	-	-	O	-	-	-	-	-	O	-	-	-	-	-
	Protection kit for pipes, 1 mt.	8-42300081	51,00	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Angle protections kit for pipes.	8-42300082	78,00	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O

OPTIONAL ACCESSORIES PSR 50

OPTIONAL ACCESSORIES PSR 50				PSR 50 LT	PSR 50 LT PT2	PSR 50 LT PT2 FAST	PSR 50 LT PT6	PSR 50 LT PT6 FAST	PSR 50 LT PT6 Wi FAST	PSR 50 CT LT	PSR 50 CT LT PT2	PSR 50 CT LT PT2 FAST	PSR 50 CT LT PT6	PSR 50 CT LT PT6 FAST	PSR 50 CT LT PT6 Wi FAST	PSR 50	PSR 50 PT2	PSR 50 PT2 FAST	PSR 50 PT6	PSR 50 PT6 FAST	PSR 50 PT6 Wi FAST	PSR 50 CT	PSR 50 CT PT2	PSR 50 CT PT2 FAST	PSR 50 CT PT6	PSR 50 CT PT6 FAST	PSR 50 CT PT6 Wi FAST
Image	Description	Code	Price €																								
	Frame se for in-pit installation (2pcs). Long.= 5910mm Larg.= 816mm H= 336mm	8-42300083	1.376,00																								
	Runways edges kit.	8-42300084	440,00																								
	Pair of beams for all-terrain vehicles.	8-42300047	1.037,00													-	-	-	-	-	-	-	-	-	-	-	
	JB22 - Pneumo-hydraulic cross beam (2200 kg).	8-42100015	3.488,00																								

OPTIONAL ACCESSORIES PSR 50

OPTIONAL ACCESSORIES PSR 50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</
-----------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

PSR 43 SERIES



4300






Code	Electric Supply	Description	Price €
WITH LIFT TABLE			
0-42401000/15	400-230V/ 3Ph/ 50-60Hz	PSR 43 LT with Lift Table.	19.588,00
0-42400400/15	400-230V/ 3Ph/ 50-60Hz	PSR 43 CT LT for complete alignment and Lift Table.	22.502,00
0-42400450/15	400-230V/ 3Ph/ 50-60Hz	PSR 43 CT LT for complete alignment and Lift Table, runways length = 4200 mm.	22.429,00
0-42401260/15	230-400V/3 Ph/50-60Hz	PSR 43 LT PT6 FAST , Lift Table, flat runways, 6 mov.play detector, FAST version	24.306,00
0-42401360/15	230-400V/3 Ph/50-60Hz	PSR 43 CT LT PT6 FAST , for complete alignment, Lift Table, flat runways, 6 mov.play detector, FAST version	25.927,00
WITHOUT LIFT TABLE			
0-42400100/15	400-230V/ 3Ph/ 50-60Hz	PSR 43 flat runways.	15.378,00
0-42400200/15	400-230V/ 3Ph/ 50-60Hz	PSR 43 CT for complete alignment.	17.623,00
0-42400300/15	400-230V/ 3Ph/ 50-60Hz	PSR 43 PT2 flat runways, 2 mov.play detector.	21.217,00
0-42400500/15	400-230V/ 3Ph/ 50-60Hz	PSR 43 PT2 FAST flat runways, 2 mov.play detector, FAST version.	21.404,00
0-42401160/15	230-400V/3 Ph/50-60Hz	PSR 43 PT6 FAST , with flat runways, 6 mov.play detector, FAST version	22.754,00
Hot dip galvanizing treatment on the lift			4.049,00
Hot dip galvanizing treatment on accessories			+20% on the price of the single accessory
Extra-charge for special colors			677,00


Installation Configuration PSR 43

		Flush Installation		On-Floor Installation			
		A	B	C	D	E	F
		Flap and Front Stopper	Drive Through Ramps	Ramps on Floor	Hanging ramps	Drive Through Ramps on floor	Drive Through hanging ramps
Accessory description		Quantity	Quantity	Quantity	Quantity	Quantity	Quantity
8-42300048	Floor ramp kit L=1300 mm			1		2	
8-42300054	Flap wheel stop (2pcs)	1	2	1		2	
8-42300055	Front wheel block kit	1		1	1		
8-42300056	On-floor installation kit			1	1	1	1
8-42300057	In-pit installation kit	1	1				
8-42100236/S34	Two-part splitted drive-on ramps L1630 mm				1		2





COMPULSORY ACCESSORIES PSR 43

Image	Description	Code	Price €	PSR 43	PSR 43 PT2	PSR 43 PT2 FAST	PSR 43 CT	PSR 43 CT LT
	Floor ramp kit. L=1300 mm	8-42300048	537,00	O	O	O	O	O
	Flap wheel stop (2 pcs).	8-42300054	439,00	O	O	O	O	O
	Front wheel block kit.	8-42300055	279,00	O	O	O	O	O
	On-floor installation kit (valid also for built-in when one unique pit is present).	8-42300056	204,00	O	O	O	O	O




OPTIONAL ACCESSORIES PSR 43

Image	Description	Code	Price €					
				PSR 43	PSR 43 PT2	PSR 43 PT2 FAST	PSR 43 CT	PSR 43 CT LT
	In-pit installation kit.	8-42300057	144,00	☐	☐	☐	☐	☐
	Extra floor ramp kit. L closed = 1120 mm L open = 1920 mm L intermediate = 1520 mm	8-42300030	1.376,00	☐	☐	☐	☐	☐
	Lighting kit (4 leds).	8-42300060	621,00	☐	☐	☐	☐	☐
	Set of 4 pads, H=80 mm.	8-42300027	210,00	☐	☐	☐	☐	☐
	Set of 4 pads, H=40 mm.	8-42300028	199,00	☐	☐	☐	☐	☐



OPTIONAL ACCESSORIES PSR 43

Image	Description	Code	Price €	PSR 43	PSR 43 PT2	PSR 43 PT2 FAST	PSR 43 CT	PSR 43 CT LT
	Two-part splitted drive-on ramps L1630 mm	8-42100236/S34	2.064,00	O	O	O	O	O
	Kit of spacers to reduce the size of the turntable housing to 460 mm, only for CT LT version.	8-42120029	582,00	-	-	-	-	O
	Protection kit for pipes L= 1mt.	8-42300081	51,00	O	O	O	O	O
	Angle protections kit for pipes.	8-42300082	78,00	O	O	O	O	O
	Frame se for in-pit installation (2pcs). Long. = 5210 mm Larg. = 815 mm h. = 320 mm	8-42120016	1.376,00	O	O	O	O	O

OPTIONAL ACCESSORIES PSR 43

Image	Description	Code	Price €	PSR 43	PSR 43 PT2	PSR 43 PT2 FAST	PSR 43 CT	PSR 43 CT LT
	Pair of beams for all-terrain vehicles, L=1800 mm.	8-42300047	1.037,00	-	-	-	-	O
	Runways edges kit.	8-42120017	440,00	O	O	O	O	O
	Pipe extensions kit, L= 4m	8-42300095	375,00	-	-	-	-	O
	Pipe extensions kit, L= 4m	8-42300097	375,00	-	O	O	-	-
	Pipe extensions kit, L= 4m	8-42300094	295,00	O	-	-	O	-
	Pipe extensions kit, L= 2m	8-42300100	295,00	-	-	-	-	O
	Pipe extensions kit, L= 2m	8-42300102	295,00	-	O	O	-	-
	Pipe extensions kit, L= 2m	8-42300099	251,00	O	-	-	O	-
	JB22 Pneumo-hydraulic cross beam (2200 kg).	8-42100015	3.488,00	O	O	O	O	O

OPTIONAL ACCESSORIES PSR 43

Image	Description	Code	Price €					
				PSR 43	PSR 43 PT2	PSR 43 PT2 FAST	PSR 43 CT	PSR 43 CT LT
IMAGE NOT AVAILABLE	Customization kit for JB22.	8-42100123	56,00	O	O	O	O	O
IMAGE NOT AVAILABLE	Optional air connection kit with hose reel (Attention: must be ordered together with the lift, it's not included with the scissor Jack)	8-42100162	457,00	O	O	O	O	O
	Shortened flap , adding an extra length of only 75mm, instead of 300mm with standard flap. Is especially useful for recessed installation into existing recess	8-42120023	713,00	O	O	O	O	O
 x2	Set of 2 filling pieces, 450mm - powder coated. Needed when no turning tables are used	8-42120034	418,00	-	-	-	O	O

PSR 55C CT LT

WITH LIFT TABLE "LT"

Main features:

- Capacity: 5.500 kg
- Low profile platform scissor lift with lifting table for wheel alignment.
- Automatic runway levelling system with master/slave hydraulic circuit.
- Runway length: 4600 mm/ 5200 mm



5500



All models supplied with:

- 1 Set of 4 hard rubber blocks.

PN	Power supply	Description	Price €
0-42116000/15	230-400V/3Ph/50-60Hz	PSR 55C CT LT , with LT lift table, runway length 4600 mm	16.336,00
8-42400163		Customization kit - PSR 55C CT LT, compulsory	51,00
0-42116010/15	230-400V/3Ph/50-60Hz	PSR 55C CT LT I , with LT lift table, runway length 4600 mm, in-pit installation	16.245,00
8-42400223		Customization kit - PSR 55C CT LT I, compulsory	51,00
0-42116500/15	230-400V/3Ph/50-60Hz	PSR 55C CT LT , with LT lift table, runway length 5200 mm	17.461,00
8-42400219		Customization kit - PSR 55C CT LT, compulsory	51,00
0-42116510/15	230-400V/3Ph/50-60Hz	PSR 55C CT LT I , with LT lift table, runway length 5200 mm, in-pit installation	17.371,00
8-42400224		Customization kit - PSR 55C CT LT I, compulsory	51,00

PSR 55C CT

Main features:

- Capacity: 5.500 kg
- Low profile platform scissor lift for wheel alignment.
- Automatic runway levelling system with master/slave hydraulic circuit.
- Runway length: 4600 mm/ 5200 mm



5500



All models supplied with:

- 1 Set of 4 hard rubber blocks.

PN	Power supply	Description	Price €
0-42112100/15	230-400V/3Ph/50-60Hz	PSR 55C CT , runway length 4600 mm	14.157,00
8-42400164		Customization kit - PSR 55C CT, compulsory	51,00
0-42112110/15	230-400V/3Ph/50-60Hz	PSR 55C CT I , runway length 4600 mm, in-pit installation	14.066,00
8-42400226		Customization kit - PSR 55C CT I, compulsory	51,00
0-42116600/15	230-400V/3Ph/50-60Hz	PSR 55C CT , runway length 5200 mm	15.282,00
8-42400220		Customization kit - PSR 55C CT, compulsory	51,00
0-42116610/15	230-400V/3Ph/50-60Hz	PSR 55C CT I , runway length 5200 mm, in-pit installation	15.192,00
8-42400227		Customization kit - PSR 55C CT I, compulsory	51,00

PSR 55C

Main features:

- Capacity: 5.500 kg
- Low profile platform scissor lift for service/inspection.
- Automatic runway levelling system with master/slave hydraulic circuit.
- Runway length: 4600 mm/ 5200 mm

5500



All models supplied with:

- 1 Set of 4 hard rubber blocks.

PN	Power supply	Description	Price €
0-42112300/15	230-400V/3Ph/50-60Hz	PSR 55C , runway length 4600 mm	11.096,00
8-42400166		Customization kit - PSR 55C, compulsory	51,00
0-42112310/15	230-400V/3Ph/50-60Hz	PSR 55C I , runway length 4600 mm, in-pit installation	11.006,00
8-42400229		Customization kit - PSR 55C I, compulsory	51,00
0-42116800/15	230-400V/3Ph/50-60Hz	PSR 55C , runway length 5200 mm	12.223,00
8-42400221		Customization kit - PSR 55C, compulsory	51,00
0-42116810/15	230-400V/3Ph/50-60Hz	PSR 55C I , runway length 5200 mm, in-pit installation	12.131,00
8-42400230		Customization kit - PSR 55C I, compulsory	51,00

PSR 45C CT LT

WITH LIFT TABLE "LT"

Main features:

- Capacity: 4.500 kg
- Low profile platform scissor lift with lifting table for wheel alignment.
- Automatic runway levelling system with master/slave hydraulic circuit.
- Runway length: 4200 mm



4500



All models supplied with:

- 1 Set of 4 hard rubber blocks.

PN	Power supply	Description	Price €
0-42116100/15	230-400V/3Ph/50-60Hz	PSR 45C CT LT , with LT lift table, runway length 4200 mm	15.918,00
8-42400167		Customization kit - PSR 45C CT LT, compulsory	51,00
0-42116110/15	230-400V/3Ph/50-60Hz	PSR 45C CT LT I , with LT lift table, runway length 4200 mm, in-pit installation	15.826,00
8-42400222		Customization kit - PSR 45C CT LT I, compulsory	51,00

PSR 45C CT

Main features:

- Capacity: 4.500 kg
- Low profile platform scissor lift for wheel alignment.
- Automatic runway levelling system with master/slave hydraulic circuit.
- Runway length: 4200 mm



All models supplied with:

- 1 Set of 4 hard rubber blocks.

PN	Power supply	Description	Price €
0-42116200/15	230-400V/3Ph/50-60Hz	PSR 45C CT , runway length 4200 mm	13.739,00
8-42400168		Customization kit - PSR 45C CT, compulsory	51,00
0-42116210/15	230-400V/3Ph/50-60Hz	PSR 45C CT I , runway length 4200 mm, in-pit installation	13.647,00
8-42400225		Customization kit - PSR 45C CT I, compulsory	51,00

PSR 450C

Main features:

- Capacity: 4.500 kg
- Low profile platform scissor lift for service/inspection.
- Automatic runway levelling system with master/slave hydraulic circuit.
- Runway length: 4200 mm



4500






All models supplied with:



- 1 Set of 4 hard rubber blocks.

PN	Power supply	Description	Price €
0-42116400/15	230-400V/3Ph/50-60Hz	PSR 450C , runway length 4200 mm	10.679,00
8-42400170		Customization kit - PSR 450C, compulsory	51,00
0-42116410/15	230-400V/3Ph/50-60Hz	PSR 450C I , runway length 4200 mm, in-pit installation	10.588,00
8-42400228		Customization kit - PSR 450C I, compulsory	51,00

OPTIONAL ACCESSORIES FOR PSR55C AND PSR45C SERIES

Picture	Description	PN	Price €
	Set of cross bars , to be ordered with the lift, compulsory for usage of 2 jacking beams, recommended for wheel alignment, standard colour grey RAL 7016 fixed	8-42100218	636,00
	Off-the-road vehicle cross bar (2 pcs).	8-42300047	1.037,00
	Kit of 4 rubber blocks height 80 mm.	8-42300027	210,00
	Complete low-voltage lighting kit .	8-42100185	591,00
	Pipe extensions kit L= 2m (for lifts with LT)	8-42100183	281,00
	Pipe extensions kit L= 4m (for lifts with LT)	8-42100184	357,00
	Pipe extensions kit L= 2m (for lifts without LT)	8-42100173	238,00
	Pipe extensions kit L= 4m (for lifts without LT)	8-42100174	281,00

OPTIONAL ACCESSORIES FOR PSR55C AND PSR45C SERIES

Picture	Description	PN	Price €
	Scissor Jack 2,2 ton. Gray Ral 7016.	J804-0000000	2.134,00
	Transformation kit from surface-mounted to recessed installation	8-42100249/00	679,00

PISC 3500.2 EVO

- Electro-hydraulic twin-ram lift, superstructure with two flat lifting supports.

- Portata: 3.500 kg
- For repairs and maintenance
- Waterproof steel cassette

Hydraulic unit:

- Hard-chrome plated cylinder
- Flexible synchronization and safety system
- Corrosion-free guiding elements
- Hydraulic pump unit with immersed motor
- Pneumatic emergency lowering
- Programmable pushbutton control unit

Superstructure:

- Two lifting supports, lengthwise adjustable RAL 9006



10 liter hydraulic oil, viscosity 22,
must be provided by the customer



Code	Electric Supply	Description	Price €
Hydraulic unit and steel cassette supplied separately			
0-48100501/00	230-400V/3PH +N+PE/50Hz/16A	Hydraulic unit for PISC 3500.2 EVO - stroke 1915 mm, compulsory	8.235,00
8-48400065		Compulsory customization kit for the hydraulic pump unit	(net price) 1,00
8-48100062		Steel cassette (Piston distance: 1550mm), compulsory	2.437,00
Hydraulic unit pre-assembled in steel cassette			
0-48100551	230-400V/3PH +N+PE/50Hz/16A	Hydraulic unit for PISC 3500.2 EVO - stroke 1915 mm, pre-assembled from factory in steel cassette	10.922,00
8-48400065		Compulsory customization kit for the hydraulic pump unit	(net price) 1,00
Superstructures			
8-48100061/00		Superstructure with flat lifting supports for PISC 3500.2 EVO, lenght 160-220, min. wheel base 2400 mm, including XY heads, compulsory	2.770,00
8-48400066		Compulsory customization kit for the superstructure	(net price) 1,00

Each lift is composed by three parts , each of them is compulsory to create a complete machine : hydraulic unit, steel cassette, superstructure

PIDC 35.2 EVO

- Electro-hydraulic twin-ram lift, superstructure with arms.
- Portata: 3.500 kg
- For repairs and maintenance
- Waterproof steel cassette

Hydraulic unit:

- Hard-chrome plated cylinder
- Flexible synchronization and safety system
- Corrosion-free guiding elements
- Hydraulic pump unit with immersed motor
- Pneumatic emergency lowering
- Programmable pushbutton control unit

Superstructure:

- Double telescopic arms (3-stages) RAL 7016
- Internal arm locking system.



10 liter hydraulic oil, viscosity 22,
must be provided by the customer



Code	Electric Supply	Description	Price €
Hydraulic unit and steel cassette supplied separately			
0-48100401/00	230-400V/3PH+N+PE/50Hz/16A	Hydraulic unit for PIDC 35.2 EVO - stroke 1915 mm, compulsory	8.647,00
8-48400067		Compulsory customization kit for the hydraulic pump unit	(net price) 1,00
8-48100064		Steel cassette (Piston distance: 1550 mm), compulsory	3.657,00
Hydraulic unit pre-assembled in steel cassette			
0-48100451	230-400V/3PH+N+PE/50Hz/16A	Hydraulic unit for PIDC 35.2 EVO, stoke 1915 mm, pre-assembled from factory in steel cassette	12.555,00
8-48400067		Compulsory customization kit for the hydraulic pump unit	(net price) 1,00
Superstructure			
8-48100063/00		Superstructure with swivel arms for PIDC 35.2 EVO, universal lifting area, min. height 95 mm	4.402,00
8-48400062		Compulsory customization kit for the superstructure	(net price) 1,00

Each lift is composed by three parts , each of them is compulsory to create a complete machine : hydraulic unit, steel cassette, superstructure

PIDC 55.2


- Electro-hydraulic twin-ram lift, superstructure with arms.
- Portata: 5.500 kg
- For repairs and maintenance
- Waterproof steel cassette

Hydraulic unit:

- Hard-chrome plated cylinder
- Flexible synchronization and safety system
- Corrosion-free guiding elements
- Hydraulic pump unit with immersed motor
- Pneumatic emergency lowering
- Programmable pushbutton control unit

Superstructure:

- Double telescopic arms (3-stages) RAL 7016
- Internal arm locking system.



5500



17 liter hydraulic oil, viscosity 22, must be provided by the customer


Each lift is composed by three parts , each of them is compulsory to create a complete machine : hydraulic unit, steel cassette, superstructure

Code	Electric Supply	Description	Price €
Hydraulic unit and steel cassette supplied separately			
0-48100301/64	230-400V/3PH +N+PE/50Hz/16A	Hydraulic unit for PIDC 55.2 - stroke 1860 mm, compulsory	12.705,00
8-48400004		Compulsory customization kit for the hydraulic pump unit	(net price) 1,00
8-48100018		Steel cassette (L=2150 mm - H= 2455 mm), compulsory	4.632,00
Hydraulic unit pre-assembled in steel cassette			
0-48100351	230-400V/3PH +N+PE/50Hz/16A	Hydraulic unit for PIDC 55.2 - stoke 1860 mm, pre-assembled from factory in steel cassette	17.565,00
8-48400004		Compulsory customization kit for the hydraulic pump unit	(net price) 1,00
Superstructure			
8-48100055/64		Superstructure with swivel arms for PIDC 55.2, universal lifting area, Ø50 mm hole for lifting pads, with Ø50-40 mm reducers, min. height 135 mm, compulsory	8.186,00
8-48400033		Compulsory customization kit for the superstructure	(net price) 1,00

COMPULSORY ACCESSORIES

Image	Description	Code	Price €	PISC 3500.2 EVO	PIDC 35.2 EVO	PIDC 55.2
	Set of cables 10m	8-48100006	183,00	O	O	O

OPTIONAL ACCESSORIES

Image	Description	Code	Price €	PISC 3500.2 EVO	PIDC 35.2 EVO	PIDC 55.2
	U-Profile Traverse of installation of inground lift steel cassette 160x85x2000 (reusable, 2 pcs are needed for 1 cassette)	8-48100080	485,00	○	○	
	U-Profile Traverse of installation of inground lift steel cassette 160x85x2000 (reusable, 2 pcs are needed for 1 cassette)	NX1208101	327,00			○
	Kit of 4 e-car adapters for ø50 mm pick-up	8-48100075	815,00		○	○
	Rubber blocks 40mm, 120x120xØ100, (1 set = 4 pcs) RECOMMENDED	8-48100008	212,00	○		
	Rubber blocks 60 mm, 1 set = 4 pieces	8-48100010	226,00	○		
 x1	Lifting pad extension 50mm - Ø50mm – 1 piece	8-48100057	45,00		○	○
 x1	Lifting pad extension 100mm - Ø50mm – 1 piece	8-48100058	54,00		○	○

OPTIONAL ACCESSORIES

Image	Description	Code	Price €	PISC 3500.2 EVO	PIDC 35.2 EVO	PIDC 55.2
	Lifting pad single-telescopic ø120/ø50 max 4 ton. - working range 78-110 mm (1 piece)	8-48100069	178,00		○	
	Lifting pad double-telescopic ø120/ø50 max 4 ton. - working range 95-174 mm (1 piece)	8-48100070	203,00		○	
	Lifting pad single telescopic, working range 147-238mm, for lifts with max. lift capacity 6500 kg, for ø50mm pick-up hole (1 piece)	8-48100077	229,00			○
 x4	Manual unlocking system for 3.5 t Saa, 1set = 4 pcs	8-48100022	291,00		○	

OPTIONAL ACCESSORIES

Image	Description	Code	Price €	PISC 3500.2 EVO	PIDC 35.2 EVO	PIDC 55.2
 x4	Kit of 4 wheel support adapters , excentric pick-up, max. 1000 kg for each adapter for ø50mm pick-up hole	8-48100073	2.059,00		○	
IMAGE NOT AVAILABLE	Kit of 4 reducers for wheel support adapters [- ø 600 mm]	8-48100074	280,00		○	
 x4	Kit of 4 wheel support adapters , centred pick-up ø50 mm, max. 1500 kg for each adapter for ø50mm pick-up hole	8-48100078	2.376,00			○
IMAGE NOT AVAILABLE	Reducer ø50 -> ø40 , for the use of ø40mm insert size lifting pads in arms with an insert diameter of ø50mm, 1 piece	8-48100079	45,00			○
 x2	Rubber drive-on support (50x500x1000mm) 1 kit = 2 pcs	8-48100026	686,00		○	○
 x2	Set of lifting pads Crafter/Sprinter 1 Set = 2 pieces, pin-shape for ø40mm pick-up hole	8-48100029	520,00			○
	Set of lifting pads "Crafter/Sprinter" 1 Set = 2 pieces, V-shape for ø40mm pick-up hole	8-48100030	470,00			○

PSC 3000/ 3500/ 4000 SERIES



3000



3500



4000



Image	Electric Supply	Description	Price €
CONFIGURATOR UNIQUE CODE 0-410001			
Loading Capacity 3000 kg.	230-400V/ 3Ph/ 50-60Hz	PSC 3000 FS with flaps and mechanical safety lock.	8.681,00
	230-400V/ 3Ph/ 50-60Hz	PSC 3000 F with flaps and double master/slave.	8.681,00
Loading Capacity 3500 kg.	230-400V/ 3Ph/ 50-60Hz	PSC 3500 FS with flaps and mechanical safety lock.	9.475,00
	230-400V/ 3Ph/ 50-60Hz	PSC 3500 S with extension runways and mechanical safety lock.	9.600,00
	230-400V/ 3Ph/ 50-60Hz	PSC 3500 F with flaps and double master/slave.	9.475,00
	230-400V/ 3Ph/ 50-60Hz	PSC 3500 with extension runways and double master/slave.	9.600,00
Loading Capacity 4000 kg.	230-400V/ 3Ph/ 50-60Hz	PSC 4000 S with extension runways and mechanical safety lock.	10.696,00

Installation Mode	Price €
On-floor <i>installation</i>	236,00
In-pit <i>installation</i>	485,00
Neutral Version	-


Alternative Configurations	Price €
Voltage: 230V/1Ph/50-60Hz	315,00
Hydraulic Oil	64,00
Special Color 1: new color instead of usual red color RAL 3002 (grey color RAL 7016 remain unchanged).	434,00
Special Color 2: new colors instead of usual combination red color RAL 3002 + grey color RAL 7016	547,00
Hot dip galvanizing treatment on the lift	2.163,00
Hot dip galvanizing treatment on accessories	+20% on the price of the single accessory

As a completion of the installation with Neutral Version, one the four accessories highlighted in green color has to be purchased (see "Accessories for completion of Neutral Installation")




Accessories for completion of neutral installation

OPTIONAL ACCESSORIES				PSC 3000 FS	PSC 3000 FSJ	PSC 3000 F	PSC 3000 FI	PSC 3500 FS	PSC 3500 FSJ	PSC 3500 S	PSC 3500 SJ	PSC 3500 F	PSC 3500 FI	PSC 3500	PSC 3500 I	PSC 4000 S	PSC 4000 SI
Image	Description	Code	Price €														
IMAGE NOT AVAILABLE	On-floor installation kit (neutral version) when ordering a lift with extensions	8-41120001	243,00	-	-	-	-	-	-	O	-	-	-	O	-	O	-
IMAGE NOT AVAILABLE	In-pit installation kit (neutral version) when ordering a lift with extensions	8-41120002	500,00	-	-	-	-	-	-	-	O	-	-	-	O	-	O
IMAGE NOT AVAILABLE	On-floor installation kit (neutral version) when ordering a lift with flaps	8-41120003	243,00	O	-	O	-	O	-	-	-	O	-	-	-	-	-
IMAGE NOT AVAILABLE	In-pit installation kit (neutral version) when ordering a lift with flaps	8-41120004	500,00	-	O	-	O	-	O	-	-	-	O	-	-	-	-

OPTIONAL ACCESSORIES

Image	Description	Code	Price €	PSC 3000 FS	PSC 3000 FSI	PSC 3000 F	PSC 3000 FI	PSC 3500 FS	PSC 3500 FSI	PSC 3500 S	PSC 3500 SI	PSC 3500 F	PSC 3500 FI	PSC 3500	PSC 3500 I	PSC 4000 S	PSC 4000 SI
	Set of long ramps for on-floor version H=50 , for PSC3500 S, PSC3500, PSC4000 S	8-41100206	870,00	-	-	-	-	-	-	O	-	-	-	O	-	O	-
	Set of long ramps for on-floor version H=50 , for PSC3000 FS, PSC3000 F, PSC3500 FS	8-41100207	989,00	O	-	O	-	O	-	-	-	O	-	-	-	-	-
	Extensions for pipes and cables, 1 mt. (cables and protection cover included).	8-41100145	204,00	-	-	O	O	-	-	-	-	O	O	O	O	-	-
	Extensions for pipes and cables, 2 mt. (cables and protection cover included).	8-41100146	230,00	-	-	O	O	-	-	-	-	O	O	O	O	-	-
	Extensions for pipes and cables, 1 mt. (cables and protection cover included).	8-41100149	207,00	O	O	-	-	O	O	O	O	-	-	-	-	O	O
	Extensions for pipes and cables, 2 mt. (cables and protection cover included).	8-41100150	231,00	O	O	-	-	O	O	O	O	-	-	-	-	O	O

OPTIONAL ACCESSORIES

Image	Description	Code	Price €	PSC 3000 FS	PSC 3000 FSI	PSC 3000 F	PSC 3000 FI	PSC 3500 FS	PSC 3500 FSI	PSC 3500 S	PSC 3500 SI	PSC 3500 F	PSC 3500 FI	PSC 3500	PSC 3500 I	PSC 4000 S	PSC 4000 SI
	Off-the-road vehicle cross bar (2 pcs).	8-42300047	1.037,00	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Kit of 4 rubber blocks height 80 mm.	8-42300027	210,00	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Kit of 4 rubber blocks height 40 mm.	8-42300028	199,00	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Angle pipe protection cover.	8-41100143	59,00	O	-	O	-	O	-	O	-	O	-	O	-	O	-
	Frame set for PSC 3000 FI, 3500 FI, 3500 FSI to be ordered together with P/N 8-41100165	8-41100167	627,00	-	-	-	O	-	O	-	-	-	O	-	-	-	-
	Frame set for PSC 3500 I, 3500 SI, 4000 SI	8-41100166	627,00	-	-	-	-	-	-	-	O	-	-	-	O	-	O
	In-pit installation kit for lifts with flaps, incl. support for flaps that must be bolted to the ground MANDATORY FOR RECESSED INSTALLATION	8-41100165	632,00	-	-	-	O	-	O	-	-	-	O	-	-	-	-

OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				PSC 3000 FS	PSC 3000 FSI	PSC 3000 F	PSC 3000 FI	PSC 3500 FS	PSC 3500 FSI	PSC 3500 S	PSC 3500 SI	PSC 3500 F	PSC 3500 FI	PSC 3500	PSC 3500 I	PSC 4000 S	PSC 4000 SI
Image	Description	Code	Price €														
Civil Works - research codes for the website private area - only for IN-PIT versions																	
0-410001PSC3000FSI																	
0-410001PSC3000FI																	
0-410001PSC3500FSI																	
0-410001PSC3500FI																	
0-410001PSC3500I																	
0-410001PSC3500SI																	
0-410001PSC4000SI																	

PSC 3000E/ 3500E SERIES ECO-LINE



3000



3500




“Eco” models: double Master-Slave system,
no electronics on scissor side, oil included




Code	Electric Supply	Description	Price €
0-41402110/15	230-400V/3PH/50-60Hz	PSC3000E double master-slave system, no electronics on scissors side, on-flor installation, 600 mm extensions, min height 105 mm (oil included)	8.399,00
0-41402112/15	230V/1PH/50Hz	PSC3000E double master-slave system, no electronics on scissors side, on-flor installation, 600 mm extensions, min height 105 mm (oil included)	8.667,00
0-41402160/15	230-400V/3PH/50-60Hz	PSC3000E I double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	8.648,00
0-41402162/15	230V/1PH/50Hz	PSC3000E I double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	8.916,00
0-41402100/15	230-400V/3PH/50-60Hz	PSC3000E F double master-slave system, no electronics on scissors side, on-flor installation, 285 mm short ramps, min height 105 mm (oil included)	8.275,00

Code	Electric Supply	Description	Price €
0-41402102/15	230V/1PH/50Hz	PSC3000E F double master-slave system, no electronics on scissors side, on-flor installation, 285 mm short ramps, min height 105 mm (oil included)	8.542,00
0-41402150/15	230-400V/3PH/50-60Hz	PSC3000E F I double master-slave system, no electronics on scissors side, in-pit-installation, 285 mm short ramps (oil included)	8.542,00
0-41402152/15	230V/1PH/50Hz	PSC3000E F I double master-slave system, no electronics on scissors side, in-pit-installation, 285 mm short ramps (oil included)	8.808,00
0-41402010/15	230-400V/3PH/50-60Hz	PSC3500E double master-slave system, no electronics on scissors side, on-flor installation, 600 mm extensions, min height 115 mm (oil included)	8.977,00
0-41402012/15	230V/1PH/50Hz	PSC3500E double master-slave system, no electronics on scissors side, on-flor installation, 600 mm extensions, min height 115 mm (oil included)	9.245,00
0-41402060/15	230-400V/3PH/50-60Hz	PSC3500E I double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	9.227,00
0-41402062/15	230V/1PH/50Hz	PSC3500E I double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	9.492,00
0-41402000/15	230-400V/3PH/50-60Hz	PSC3500E F double master-slave system, no electronics on scissors side, on-flor installation, 285 mm short ramps, min height 115 mm (oil included)	8.852,00
0-41402002/15	230V/1PH/50Hz	PSC3500E F double master-slave system, no electronics on scissors side, on-flor installation, 285 mm short ramps, min height 115 mm (oil included)	9.121,00
0-41402050/15	230-400V/3PH/50-60Hz	PSC3500E F I double master-slave system, no electronics on scissors side, in-pit installation, 285 mm short ramps, min height 115 mm (oil included)	9.121,00
0-41402052/15	230V/1PH/50Hz	PSC3500E F I double master-slave system, no electronics on scissors side, in-pit installation, 285 mm short ramps, min height 115 mm (oil included)	9.386,00
Hot dip galvanizing treatment on the lift			2.163,00
Hot dip galvanizing treatment on accessories			+20% on the price of the single accessory

OPTIONAL ACCESSORIES

Image	Description	Code	Price €	PSC 3000E	PSC 3000E I	PSC 3000E F	PSC 3000E FI	PSC 3500E	PSC 3500E I	PSC 3500E F	PSC 3500E FI
	Anchor bolt kit (8 pcs.)	8-41100203	103,00	O	O	O	O	O	O	O	O
	Set of long ramps for on-floor version H=50	8-41100206	870,00	O	-	-	-	O	-	-	-
	Set of long ramps for on-floor version H=50	8-41100207	989,00	-	-	O	-	-	-	O	-
	Extensions for pipes and cables, 1 mt. (cables and protection cover included).	8-41100145	204,00	O	O	O	O	O	O	O	O
	Extensions for pipes and cables, 2 mt. (cables and protection cover included).	8-41100146	230,00	O	O	O	O	O	O	O	O

OPTIONAL ACCESSORIES

Image	Description	Code	Price €	PSC 3000E	PSC 3000E I	PSC 3000E F	PSC 3000E F I	PSC 3500E	PSC 3500E I	PSC 3500E F	PSC 3500E F I
	Kit of 4 rubber blocks height 80 mm.	8-42300027	210,00	O	O	O	O	O	O	O	O
	Kit of 4 rubber blocks height 40 mm.	8-42300028	199,00	O	O	O	O	O	O	O	O
	Off-the-road vehicle cross bar (2 pcs).	8-42300047	1.037,00	O	O	O	O	O	O	O	O
	Angle pipe <i>protection cover</i> .	8-41100143	59,00	O	-	O	-	O	-	O	-
	Frame set	8-41100166	627,00	-	O	-	-	-	O	-	-
	Frame set to be ordered together with P/N 8-41100165	8-41100167	627,00	-	-	-	O	-	-	-	O
	In-pit installation kit for lifts with flaps, incl. support for flaps that must be bolted to the ground MANDATORY FOR RECESSED INSTALLATION	8-41100165	632,00	-	-	-	O	-	-	-	O

PSC 3200C EF

Main features:

- Capacity: 3.200 kg.
- Alignment of the runways with a dual MASTER/SLAVE circuit without mechanical safety racks.
- Runboards version with flaps (F).

25 liter hydraulic oil, viscosity 32, must be provided by the customer.



All models supplied with:

- 1 Set of 4 hard rubber blocks.

3200



PN	Power supply	Description	Price €
0-41106000/15	230V/400V - 3PH - 50/60HZ	PSC 3200C EF - Red RAL 3002 Orange peel - Capacity 3.200 kg.	5.028,00
0-41106002/15	230V/1Ph/50Hz	PSC 3200C EF - Red RAL 3002 Orange peel - Capacity 3.200 kg.	5.253,00
0-41106003/15	230V/1Ph/60Hz	PSC 3200C EF - Red RAL 3002 Orange peel - Capacity 3.200 kg.	5.253,00
8-41400189		Customization kit for PSC 3200C EF (Compulsory)	51,00

PSC 3600C EF

Main features:

- Capacity: 3.600 kg.
- Alignment of the runways with a dual MASTER/SLAVE circuit without mechanical safety racks.
- Runboards version with flaps (F).

25 liter hydraulic oil, viscosity 32, must be provided by the customer.

3600



All models supplied with:




- 1 Set of 4 hard rubber blocks.

PN	Power supply	Description	Price €
0-41106100/15	230V/400V - 3PH - 50/60HZ	PSC 3600C EF - Red RAL 3002 Orange peel - Capacity 3.600 kg.	5.438,00
0-41106102/15	230V/1Ph/50Hz	PSC 3600C EF - Red RAL 3002 Orange peel - Capacity 3.600 kg.	5.662,00
0-41106103/15	230V/1Ph/60Hz	PSC 3600C EF - Red RAL 3002 Orange peel - Capacity 3.600 kg.	5.662,00
8-41400190		Customization kit for PSC 3600C EF (Compulsory)	51,00



COMPULSORY ACCESSORIES FOR PSC 3200C EF AND PSC 3600C EF

Picture	Description	PN	Price €
	Set of masonry screws (8 pcs.) For all models in the range.	8-41100203	103,00

OPTIONAL ACCESSORIES FOR PSC 3200C EF AND PSC 3600C EF

Picture	Description	PN	Price €
	Off-the-road vehicle cross bar (2 pcs.).	8-42300047	1.037,00
	Flush installation frame set (galvanized) for C-line underbody low profile double scissor lifts with flaps (MUST BE COMBINED WITH 8-41100165)	8-41100225	627,00
	Set of long ramps for on-floor version	8-41100207	989,00

OPTIONAL ACCESSORIES FOR PSC 3200C EF AND PSC 3600C EF

Picture	Description	PN	Price €
	Extensions for pipes and cables L = 1 mt. (protection covers included.)	8-41100184	195,00
	Extensions for pipes and cables L = 2 mt. (protection covers included.)	8-41100185	220,00
	Kit of 4 rubber blocks height 80 mm.	8-42300027	210,00
	Angle pipe protection cover	8-41100143	59,00
	In-pit installation kit for lifts with flaps, incl. support for flaps that must be bolted to the ground MANDATORY FOR RECESSED INSTALLATION	8-41100165	632,00

PSCA 35 T -IN-PIT VERSION PSCA 40 T -IN-PIT VERSION



3500



4000



Code	Electric Supply	Description	Price €
0-41400301/15	400V/ 3Ph/ 50-60Hz	PSCA 35T in-pit version, extension runways.	7.715,00
0-41400302/15	230V/ 1Ph/ 50-60Hz	PSCA 35T in-pit version, extension runways.	7.980,00
0-41400401/15	400V/ 3Ph/ 50-60Hz	PSCA 40T in-pit version, extension runways.	8.601,00
0-41400402/15	230V/ 1Ph/ 50-60Hz	PSCA 40T in-pit version, extension runways.	8.866,00
<i>Antioxidant treatment with cataphoresis (for further info, please contact the export dept)</i>			2.163,00
<i>Extra-charge for special colors</i>			443,00

UNDERBODY DOUBLE SCISSOR LIFTS - HIGH PROFILE

PSCA 35E - INCASSO ECO-LINE

PSCA 40E - INCASSO ECO-LINE



3500





4000




“Eco” models: double Master-Slave system,
no electronics on scissor side, oil included

Code	Electric Supply	Description	Price €
0-41402200/15	230-400V/3PH/50-60Hz	PSCA35E double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	7.314,00
0-41402202/15	230V/1PH/50-60Hz	PSCA35E double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	7.579,00
0-41402210/15	230-400V/3PH/50-60Hz	PSCA40E double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	8.202,00
0-41402212/15	230V/1PH/50-60Hz	PSCA40E double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	8.466,00
Hot dip galvanizing treatment on the lift			2.163,00
Hot dip galvanizing treatment on accessories			+20% on the price of the single accessory
Extra-charge for special colors			443,00

OPTIONAL ACCESSORIES - PSCA 35T - 35E - 40T - 40E - IN-PIT VERSION

Image	Description	Code	Price €		
				PSCA 35T - PSCA 35E	PSCA 40T - PSCA 40E
	Anchor bolt <i>kit</i> (8 pcs.)	8-41100203	103,00	○	○
	Frame set for PSCA 35T in-pit installation, 2 pcs.	8-41100172	649,00	○	-
	Frame set for PSCA 40T in-pit installation, 2 pcs.	8-41100171	649,00	-	○
	Extensions for pipes and cables, 1 mt.	8-41100131	210,00	○	○
	Extensions for pipes and cables, 2 mt.	8-41100132	238,00	○	○

OPTIONAL ACCESSORIES - PSCA 35T - 35E - 40T - 40E - IN-PIT VERSION


Image	Description	Code	Price €	PSCA 35T - PSCA 35E	PSCA 40T - PSCA 40E
	Set of 4 pads, H=80 mm.	8-42300027	210,00	○	○
	Pair of beams for all-terrain vehicles, L=1800 mm.	8-42300047	1.037,00	○	○

PSCA 36C T E

Main features:

- Capacity: 3.600 kg.
- Alignment of the runways with a dual MASTER/SLAVE circuit without mechanical safety racks.

3600



All models supplied with:
- 1 Set of 4 hard rubber blocks.

Hydraulic oil, viscosity 32,
must be provided by the customer

PN	Power supply	Description	Price €
0-41106300/15	230V/400V - 3PH - 50/60HZ	PSCA 36C T E - Red RAL 3002 Orange peel - Capacity 3.600 kg.	4.566,00
0-41106302/15	230V/1Ph/50Hz	PSCA 36C T E - Red RAL 3002 Orange peel - Capacity 3.600 kg.	4.797,00
0-41106303/15	230V/1Ph/60Hz	PSCA 36C T E - Red RAL 3002 Orange peel - Capacity 3.600 kg.	4.797,00
8-41400192		Customization kit for PSCA 36C T E (Compulsory)	51,00

PSCA 40C T E

Main features:

- Capacity: 4.000 kg.
- Alignment of the runways with a dual MASTER/SLAVE circuit without mechanical safety racks.

4000



All models supplied with:

- 1 Set of 4 hard rubber blocks.



Hydraulic oil, viscosity 32,
must be provided by the customer

PN	Power supply	Description	Price €
0-41106400/15	230V/400V - 3PH - 50/60HZ	PSCA 40C T E - Red RAL 3002 Orange peel - Capacity 4.000 kg.	5.913,00
0-41106402/15	230V/1Ph/50Hz	PSCA 40C T E - Red RAL 3002 Orange peel - Capacity 4.000 kg.	6.138,00
0-41106403/15	230V/1Ph/60Hz	PSCA 40C T E - Red RAL 3002 Orange peel - Capacity 4.000 kg.	6.138,00
8-41400193		Customization kit for PSCA 40C T E (Compulsory)	51,00


COMPULSORY ACCESSORIES FOR PSCA 36C T E, AND PSCA 40C T E

Picture	Description	PN	Price €
	Set of masonry screws (8 pcs.) For all models in the range.	8-41100203	103,00

OPTIONAL ACCESSORIES FOR PSCA 36C T E, AND PSCA 40C T E

Picture	Description	PN	Price €
	Off-the-road vehicle cross bar (2 pcs).	8-42300047	1.037,00
	Flush installation frame set (2 pcs) for lifts with 3.6 t capacity	8-41100204	627,00
	Flush installation frame set (2 pcs) for lifts with 4.0 t capacity	8-41100171	649,00
	Extensions for pipes and cables L=1 mt. (protection covers included.)	8-41100184	195,00

OPTIONAL ACCESSORIES FOR PSCA 36C T E, AND PSCA 40C T E

Picture	Description	PN	Price €
	Extensions for pipes and cables L = 2 mt. (protection covers included.)	8-41100185	220,00
	Kit of 4 rubber blocks height 80 mm.	8-42300027	210,00

PSCE 300 PSCE 305



3000



3500



	Electric Supply	Description	Price €
0-410002	CONFIGURATOR UNIQUE CODE		
LOADING CAPACITY 3000 kg.	230-400V/ 3Ph/ 50-60Hz	PSCE 300 with extension runways and double master/slave circuit.	4.988,00
	230-400V/ 3Ph/ 50-60Hz	PSCE 300 F with runways with flaps and double master/slave.	4.988,00
LOADING CAPACITY 3500 kg.	230-400V/ 3Ph/ 50-60Hz	PSCE 305 with extension runways and double master/slave circuit.	5.889,00
	230-400V/ 3Ph/ 50-60Hz	PSCE 305 F with runways with flaps and double master/slave.	5.889,00

Installation Mode	Price €
ON-FLOOR <i>Installation</i>	240,00
IN-PIT <i>Installation</i>	496,00
Neutral Version	-




Alternative Configurations	Price €
Voltage: 230V/1Ph/50-60Hz	322,00
Hydraulic Oil	65,00
Special Color #1: new color instead of usual red color RAL 3002 (grey color RAL 7016 remain unchanged)	442,00
Special Color #2: new colors instead of usual combination red color RAL 3002 + grey color RAL 7016	557,00
Hot dip galvanizing treatment on the lift	1.879,00
Hot dip galvanizing treatment on accessories	+20% on the price of the single accessory

As a completion of the installation with Neutral Version, one the four accessories highlighted in green color has to be purchased (see "Accessories for completion of Neutral Installation")



Accessories for completion of neutral installation

OPTIONAL ACCESSORIES											
Image	Description	Code	Price €	PSOE 300	PSOE 300F	PSOE 300 FI	PSOE 300 I	PSOE 305	PSOE 305 F	PSOE 305 FI	PSOE 305 I
IMAGE NOT AVAILABLE	On-floor installation kit (neutral version) when ordering a lift with extensions	8-41100157	243,00	O	-	-	-	O	-	-	-
IMAGE NOT AVAILABLE	In-pit installation kit (neutral version) when ordering a lift with extensions	8-41100155	500,00	-	-	-	O	-	-	-	O
IMAGE NOT AVAILABLE	On-floor installation kit (neutral version) when ordering a lift with flaps	8-41100158	243,00	-	O	-	-	-	O	-	-
IMAGE NOT AVAILABLE	In-pit installation kit (neutral version) when ordering a lift with flaps	8-41100156	500,00	-	-	O	-	-	-	O	-

OPTIONAL ACCESSORIES

Image	Description	Code	Price €	PSCE 300	PSCE 300F	PSCE 300 FI	PSCE 300 I	PSCE 305	PSCE 305 F	PSCE 305 FI	PSCE 305 I
	Set of long ramps for on-floor version H=50, for PSCE300 and PSCE305	8-41100208	890,00	O	-	-	-	O	-	-	-
	Set of long ramps for on-floor version H=50, for PSCE300F and PSCE305F	8-41100209	1.002,00	-	O	-	-	-	O	-	-
	Extensions for pipes and cables, 1 mt. (cables and protection cover included)	8-41100159	204,00	O	O	O	O	O	O	O	O
	Extensions for pipes and cables, 2 mt. (cables and protection cover included)	8-41100160	230,00	O	O	O	O	O	O	O	O
	Angle pipe protection cover .	8-41100143	59,00	O	O	-	-	O	O	-	-
	Kit of 4 rubber blocks height 80 mm.	8-42300027	210,00	O	O	O	O	O	O	O	O

OPTIONAL ACCESSORIES

Image	Description	Code	Price €	PSCE 300	PSCE 300F	PSCE 300 FI	PSCE 300 I	PSCE 305	PSCE 305 F	PSCE 305 FI	PSCE 305 I
	Kit of 4 rubber blocks height 40 mm.	8-42300028	199,00	O	O	O	O	O	O	O	O
	Off-the-road vehicle cross bar (2 pcs).	8-42300047	1.037,00	O	O	O	O	O	O	O	O
	Frame set for recessing for PSCE 300I and PSCE 305I	8-41100170	649,00				O				O
	Frame set for recessing for PSCE 300FI and PSCE 305FI	8-41100169	658,00			O				O	

Civil Works - research codes for the website private area - only for IN-PIT versions

0-410002PSCE300I

0-410002PSCE300FI

0-410002PSCE305I

0-410002PSCE305FI

PSCE 350C B

Main features:

- Capacity: 3.500 kg.
- Reversible low-profile electrohydraulic scissors lift for cars, SUVs and vans
- Robust structure of scissors, offering great lateral stability
- Alignment ensured by two robust anti-torsion bars
- Hot galvanized base as standard, painted scissors, runways and ramps
- Start lever from zero position to maximum height

3500



All models supplied with:


- 1 Set of 4 hard rubber blocks.

PN	Power supply	Description	Price €
0-41107500/15	230V/400V - 3PH - 50/60HZ	PSCE 350C B	3.718,00
0-41107502/15	230V/1Ph/50Hz	PSCE 350C B	3.825,00
0-41107503/15	230V/1Ph/60Hz	PSCE 350C B	3.825,00
8-41400227		Customization kit for PSCE 350C B (Compulsory)	49,00


COMPULSORY ACCESSORIES FOR PSCE 350C B

Picture	Description	PN	Price €
	Anchor kit (8 pcs.)	8-41100229	103,00

OPTIONAL ACCESSORIES FOR PSCE 350C B

Picture	Description	PN	Price €
	Lift movimentation kit	8-41100228	257,00
	Crossbar set (2 bars and 4 pads), L=1800 mm.	8-42300047	1.037,00
	Pad set (4 pcs.) H = 80 mm.	8-42300027	210,00

PDC 30



Code	Electric Supply	Description	Price €
0-43102101/15	400V/ 3Ph/ 50-60Hz	PDC 30 with NON load-bearing base, chain drive system and asymmetric arms	4.192,00
0-43102111/15	230/ 3Ph/ 50-60Hz	PDC 30 with NON load-bearing base, chain drive system and asymmetric arms	4.192,00
8-43100169		Customization kit.	56,00
Extra-charge for special colors			307,00

PDC 35



Code	Electric Supply	Description	Price €
0-43105700/15	400V/ 3Ph/ 50-60Hz	PDC 35 chain drive system and asymmetric arms.	5.262,00
0-43105701/15	230V/ 3Ph/ 50-60Hz	PDC 35 chain drive system and asymmetric arms.	5.262,00
Extra-charge for special colors			307,00

OPTIONAL ACCESSORIES - PDC 30 - PDC 35

Image	Description	Code	Price €	PDC 30	PDC 35
	Anchor set (4+4 pezzi).	8-43100151	70,00	O	-


OPTIONAL ACCESSORIES - PDC 30 - PDC 35

Image	Description	Code	Price €	PDC 30	PDC 35
	Anchor set (6+6 pezzi).	8-43100194	133,00	-	O

OPTIONAL ACCESSORIES - PDC 30 - PDC 35


Image	Description	Code	Price €	PDC 30	PDC 35
	Pad extension set (4 pcs.) H=150 mm.	8-43100153	482,00	○	-
	Pad extension set (4 pcs.) H=200 mm.	8-43100154	516,00	-	○

PDC 32N



Code	Electric Supply	Description	Price €
0-43400900/15	400V/ 3Ph/ 50Hz	PDC 32N , chain drive system and asymmetric arms.	4.809,00
0-43400901/15	230V/ 3Ph/ 50Hz	PDC 32N , chain drive system and asymmetric arms.	4.809,00
0-43400910/15	400V/ 3Ph/ 50Hz	PDC 32N CBP , with base, chain drive system and asymmetric arms.	6.169,00
0-43400911/15	230V/ 3Ph/ 50Hz	PDC 32N CBP , with base, chain drive system and asymmetric arms.	6.169,00
Extra-charge for special colors			307,00

PDC 32N CEL



Code	Electric Supply	Description	Price €
0-43400800/15	400V/ 3Ph/ 50Hz	PDC 32N CEL asymmetric arms, 2 motors and electronic synchronization system.	5.674,00
0-43400801/15	230V/ 3Ph/ 50Hz	PDC 32N CEL asymmetric arms, 2 motors and electronic synchronization system.	5.674,00

PDC 40N CEL

4000



Code	Electric Supply	Description	Price €
0-43400010/15	400V/ 3Ph/ 50-60Hz	PDC 40N CEL , asymmetric arms, 2 motors and electronic synchronization system.	6.647,00
0-43400011/15	230V/ 3Ph/ 50-60Hz	PDC 40N CEL , asymmetric arms, 2 motors and electronic synchronization system.	6.647,00
Extra-charge for special colors			307,00


PDC 40 ELX

4000



Code	Electric Supply	Description	Price €
0-43400700/15	400V/ 3Ph/ 50Hz	PDC 40 ELX, symmetric arms, 2 motors and electronic synchronization system, anchor bolts included.	10.142,00
Extra-charge for special colors			307,00

PDC 50






Code	Electric Supply	Description	Price €
0-43103201/15	400V/ 3Ph/ 50Hz	PDC 50, symmetric arms, 2 motors and electronic synchronization system, anchor bolts included.	11.097,00
Extra-charge for special colors			307,00


COMPULSORY ACCESSORIES - PDC 32N - 40N - PDC 40 ELX - PDC 50

Image	Description	Code	Price €	PDC 32N	PDC 32N CBP	PDC 32N CEL	PDC 40N CEL	PDC 40 ELX	PDC 50 CEL
	Ground fixing kit.	8-43300182	160,00	O	-	-	-	-	-
	Ground fixing kit.	8-43300186	160,00	-	-	O	-	-	-
	Ground fixing kit.	8-43300183	70,00	-	O	-	-	-	-
	Ground fixing kit.	8-43300184	160,00	-	-	-	O	-	-
IMMAGINE NON DISPONIBILE	3,2 tons short arms kit for FERRARI.	8-43320000	853,00	-	-	O	-	-	-

OPTIONAL ACCESSORIES - PDC 32N-PDC 40N-PDC 40 ELX-PDC 50

Image	Description	Code	Price €	PDC 32N	PDC 32N CBP	PDC 32N CEL	PDC 40N CEL	PDC 40 ELX	PDC 50
	Complete pad kit for FCA electric cars (1 pc) Ø 60mm, designed for FIAT 500 electric version	8-43100229	178,00	O	O	O	O	O	O
	Base kit. (To be ordered only in case the floor has not the minimum necessary features and it is not possible to make building works)	8-43300185	1.376,00	O	-	O	-	-	-
	Set of 4 extension for pads, H=35 mm.	8-43300021	158,00	O	O	O	O	O	O
IMMAGINE NON DISPONIBILE	Set of 4 extension for pads, H=80 mm.	8-43300014	316,00	-	-	-	O	-	-
	Set of 4 extension for pads, H=140 mm.	8-43300015	615,00	O	O	O	O	O	O
	Set of 4 adapters for Mercedes Sprinter.	8-43300016	615,00	O	O	O	O	O	O
	Set of 4 special supports for 4WD vehicles.	8-43300017	267,00	O	O	O	O	O	O

OPTIONAL ACCESSORIES - PDC 32N-PDC 40N-PDC 40 ELX-PDC 50

Image	Description	Code	Price €	PDC 32N	PDC 32N CBP	PDC 32N CEL	PDC 40N CEL	PDC 40 ELX	PDC 50
	Additional photocell kit.	8-43300003	633,00	-	-	O	O	O	O
	Roof cable guide for PDC 32N CEL H=3840 mm	8-43300037	245,00	-	-	O	-	-	-
	Roof cable guide for PDC 40 N H=4540 mm	8-43300036	267,00	-	-	-	O	-	-
	Roof cable guide for PDC 50 and PDC 40 ELX H=4540 mm	8-43300028	285,00	-	-	-	-	O	O

ELECTRO-HYDRAULIC TWO POST LIFTS

PDCH 32 SERIES

ARMS WITH 2 SYMMETRICAL TELESCOPIC EXTENSIONS




Code	Electric Supply	Description	Price €
0-43102201/15	400V/ 3Ph/ 50-60Hz	PDCH 32 L floor level pipes.	5.287,00
0-43102211/15	230V/ 3Ph/ 50-60Hz	PDCH 32 L floor level pipes.	5.287,00
0-43102221/15	230V/ 1Ph/ 50Hz	PDCH 32 L floor level pipes.	5.552,00
8-43400001		Customization kit	56,00
0-43102202/15	400V/ 3Ph/ 50-60Hz	PDCH 32 LI sunken pipes.	5.287,00
0-43102212/15	230V/ 3Ph/ 50-60Hz	PDCH 32 LI sunken pipes.	5.287,00
0-43102222/15	230V/ 1Ph/ 50Hz	PDCH 32 LI sunken pipes.	5.552,00
8-43400002		Customization kit	56,00
0-43102203/15	400V/ 3Ph/ 50-60Hz	PDCH 32 V overhead pipes.	5.534,00
0-43102213/15	230V/ 3Ph/ 50-60Hz	PDCH 32 V overhead pipes.	5.534,00
0-43102223/15	230V/ 1Ph/ 50Hz	PDCH 32 V overhead pipes.	5.811,00
0-43102233/15	230V/ 1Ph/ 60Hz	PDCH 32 V overhead pipes.	5.811,00
8-43100170		Customization kit	56,00
0-43102204/15	400V/ 3Ph/ 50-60Hz	PDCH 32 CBP with NON load-bearing base	5.818,00
0-43102214/15	230V/ 3Ph/ 50-60Hz	PDCH 32 CBP with NON load-bearing base	5.818,00
0-43102224/15	230V/ 1Ph/ 50Hz	PDCH 32 CBP with NON load-bearing base	6.083,00
8-43400003		Customization kit	56,00
Extra-charge for special colors			309,00

COMPULSORY ACCESSORIES - PDCH 32 SERIES

Image	Description	Code	Price €	PDCH 32 L	PDCH 32 LI	PDCH 32 V	PDCH 32 CBP
	Anchor set.	8-43100156	164,00	O	O	O	-
	Anchor set.	8-43100157	73,00	-	-	-	O

OPTIONAL ACCESSORIES - PDCH 32 SERIES

	Pad extension set (4 pcs.) H = mm 150.	8-43100153	482,00	O	O	O	O
	Pad extension set (4 pcs.) H = mm 200.	8-43100154	516,00	O	O	O	O
	Manual emergency descent pump.	8-411100103	139,00	O	O	O	O

PDCH 35C B

THREE-STAGE ASYMMETRICAL ARMS

Mainfeatures:

- Capacity: 4.500 kg.
- Single motor.
- Lifting system: with hydraulic cylinders and synchronisation with wire ropes on the column base.
- Three-stage asymmetric arms with pads adjustable in height and extensions supplied as standard.
- Minimum lifting height: 95 mm.
- Maximum lifting height: 1.945 mm



PN	Power supply	Description	Price €
0-43107500/48	400V/3Ph/50-60Hz	PDCH 35C B - Grey RAL 7040 Orange peel - Capacity 3.500 kg.	3.277,00
0-43107502/48	230V/1Ph/50Hz	PDCH 35C B - Grey RAL 7040 Orange peel - Capacity 3.500 kg.	3.554,00
0-43107503/48	230V/1Ph/60Hz	PDCH 35C B - Grey RAL 7040 Orange peel - Capacity 3.500 kg.	3.554,00
8-43400212		Customization kit for PDCH 35C B (Compulsory)	51,00

Other colors than the standard are NOT currently provided

PDCH 45C B


THREE-STAGE ASYMMETRICAL ARMS

Main features:

- Capacity: 4.500 kg.
- Single motor.
- Lifting system: with hydraulic cylinders and synchronisation with wire ropes on the column
- Three-stage asymmetric arms with pads adjustable in height and extensions supplied as standard.
- Minimum lifting height: 95 mm.
- Maximum lifting height: 1.945 mm



4500




PN	Power supply	Description	Price €
0-43107400/48	400V/3Ph/50-60Hz	PDCH 45C B - Grey RAL 7040 Orange peel - Capacity 4.500 kg.	3.378,00
0-43107402/48	230V/1Ph/50Hz	PDCH 45C B - Grey RAL 7040 Orange peel - Capacity 4.500 kg.	3.640,00
0-43107403/48	230V/1Ph/60Hz	PDCH 45C B - Grey RAL 7040 Orange peel - Capacity 4.500 kg.	3.640,00
8-43400214		Customization kit for PDCH 45C B (Compulsory)	51,00

Other colors than the standard are NOT currently provided

COMPULSORY ACCESSORIES FOR PDCH 45C B AND PDCH 35C B

Picture	Description	PN	Price €
	Set tasselli di fissaggio (10 pz.). Per tutti i modelli della serie.	8-43100233	219,00

OPTIONAL ACCESSORIES FOR PDCH 45C B AND PDCH 35C B

Picture	Description	PN	Price €
	Main frame kit RAL7016. (To be order in case of location with critical floors).	8-43100222	1.322,00
	Manual emergency descent pump.	8-43100205	155,00


OPTIONAL ACCESSORIES FOR PDCH 45C B AND PDCH 35C B

Picture	Description	PN	Price €
	e-car adapter (1 set = 4 pieces)	NX1316096/00	713,00
	Ø55mm Multi-adapter for Ø50mm pick-up, 1 piece	NX1316051	98,00
	Ø55mm insert adapter with Ø29,5mm pin, for Multi-adapter NX1316051, 1 piece (Maserati)	NX1316052	16,00
	Ø55mm insert adapter with 15mm slot, for Multi-adapter NX1316051, 1 piece (Rocker panel pick-up)	NX1316053	16,00
	Ø55mm insert adapter with Ø20mm pin, for Multi-adapter NX1316051, 1 piece (Tesla)	NX1316054	16,00
	Ø55mm insert adapter with beam shape 55x22,5x28 mm for Multi-adapter NX1316051, 1 piece (BMW & Mercedes EQ models)	NX1316055	16,00
	Ø55mm insert adapter with half cylinder shape 55x26x13 mm for Multi-adapter NX1316051, 1 piece (Audi Q8 & Q8 e-tron)	NX1316056	16,00

PDCH 40E SERIES

ARMS WITH 2 SYMMETRICAL
TELESCOPIC EXTENSIONS

4000




Code	Electric Supply	Description	Price €
0-43401100/15	400V/ 3Ph/ 50-60Hz	PDCH 40E , portal H=3870.	5.007,00
0-43401101/15	230V/ 3Ph/ 50-60Hz	PDCH 40E , portal H=3870.	5.007,00
0-43401102/15	230V/ 1Ph/ 50Hz	PDCH 40E , portal H=3870.	5.262,00
0-43105201/15	400V/ 3Ph/ 50-60Hz	PDCH 40E-V , portal H=4470.	5.518,00
0-43105211/15	230V/ 3Ph/ 50-60Hz	PDCH 40E-V , portal H=4470.	5.518,00
0-43105221/15	230V/ 1Ph/ 50Hz	PDCH 40E-V , portal H=4470.	5.775,00
0-43401110/15	400V/ 3Ph/ 50-60Hz	PDCH 40E-XV , portal H=5070.	6.033,00
0-43401111/15	230V/ 3Ph/ 50-60Hz	PDCH 40E-XV , portal H=5070.	6.033,00
0-43401112/15	230V/ 1Ph/ 50Hz	PDCH 40E-XV , portal H=5070.	6.289,00
Extra-charge for special colors			309,00

PDCH 40N SERIES

ARMS WITH 3 SYMMETRICAL
TELESCOPIC EXTENSIONS



4000





Code	Electric Supply	Description	Price €
0-43401000/15	400V/ 3Ph/ 50-60Hz	PDCH 40N , arms with three symmetrical telescopic, portal H=3870.	6.033,00
0-43401001/15	230V/ 3Ph/ 50-60Hz	PDCH 40N , arms with three symmetrical telescopic, portal H=3870.	6.033,00
0-43401002/15	230V/ 1Ph/ 50Hz	PDCH 40N , arms with three symmetrical telescopic, portal H=3870.	6.289,00
0-43105101/15	400V/ 3Ph/ 50-60Hz	PDCH 40N-V , arms with three symmetrical telescopic, portal H=4470.	6.543,00
0-43105111/15	230V/ 3Ph/ 50-60Hz	PDCH 40N-V , arms with three symmetrical telescopic, portal H=4470.	6.543,00
0-43105121/15	230V/ 1Ph/ 50Hz	PDCH 40N-V , arms with three symmetrical telescopic, portal H=4470.	6.799,00
0-43401010/15	400V/ 3Ph/ 50-60Hz	PDCH 40N-XV , arms with three symmetrical telescopic, portal H=5070.	7.057,00
0-43401011/15	230V/ 3Ph/ 50-60Hz	PDCH 40N-XV , arms with three symmetrical telescopic, portal H=5070.	7.057,00
0-43401012/15	230V/ 1Ph/ 50Hz	PDCH 40N-XV , arms with three symmetrical telescopic, portal H=5070.	7.312,00
Extra-charge for special colors			309,00

PDCH 50 SERIES

ARMS WITH 3 SYMMETRICAL
TELESCOPIC EXTENSIONS

5000




Code	Electric Supply	Description	Price €
0-43102401/15	400V/ 3Ph/ 50-60Hz	PDCH 50 , portal H=3870.	9.512,00
0-43102411/15	230V/ 3Ph/ 50-60Hz	PDCH 50 , portal H=3870.	9.512,00
0-43102421/15	230V/ 1Ph/ 50Hz	PDCH 50 , portal H=3870.	9.779,00
8-43400005		Customization kit	56,00
0-43102402/15	400V/ 3Ph/ 50-60Hz	PDCH 50 V , portal H=4470.	10.040,00
0-43102412/15	230V/ 3Ph/ 50-60Hz	PDCH 50 V , portal H=4470.	10.040,00
0-43102422/15	230V/ 1Ph/ 50Hz	PDCH 50 V , portal H=4470.	10.304,00
8-43400004		Customization kit	56,00
0-43102403/15	400V/ 3Ph/ 50-60Hz	PDCH 50 XV , portal H=5070.	10.573,00
0-43102413/15	230V/ 3Ph/ 50-60Hz	PDCH 50 XV , portal H=5070.	10.573,00
0-43102423/15	230V/ 1Ph/ 50Hz	PDCH 50 XV , portal H=5070.	10.836,00
8-43100172		Customization kit	56,00
Extra-charge for special color			309,00


COMPULSORY ACCESSORIES PDCH 40E-PDCH 40N-PDCH 50 SERIES

Image	Description	Code	Price €	PDCH 40E	PDCH 40E-V	PDCH 40E-XV	PDCH 40N	PDCH 40N-V	PDCH 40N-XV	PDCH 50	PDCH 50 V	PDCH 50 XV
	Anchor set.	8-43100158	135,00	O	O	O	O	O	O	-	-	-
	Anchor set.	8-43100161	157,00	-	-	-	-	-	-	O	O	O


OPTIONAL ACCESSORIES PDCH 40E-PDCH 40N-PDCH 50 SERIES

Image	Description	Code	Price €	PDCH 40E	PDCH 40E-V	PDCH 40E-XV	PDCH 40N	PDCH 40N-V	PDCH 40N-XV	PDCH 50	PDCH 50 V	PDCH 50 XV
	Complete pad kit for FCA electric cars (1 pc) Ø 60mm, designed for FIAT 500 electric version	8-43100229	178,00	○	○	○	○	○	○	○	○	○
IMMAGINE NON DISPONIBILE	Extensions for pads (4pcs) H=150 mm.	8-43100159	491,00	○	○	○	○	○	○	-	-	-
IMMAGINE NON DISPONIBILE	Extensions for pads (4pcs) H=200 mm.	8-43100160	526,00	○	○	○	○	○	○	-	-	-
	Manual emergency descent pump.	8-41100103	139,00	○	○	○	○	○	○	○	○	○
	Set of extended height range pads (4pcs) H=80/170 mm.	8-43100192	400,00	-	-	-	○	○	○	-	-	-
IMMAGINE NON DISPONIBILE	Bar kit stopping ascent.	8-43100193	400,00	○	○	○	-	-	-	-	-	-

OPTIONAL ACCESSORIES PDCH 40E-PDCH 40N-PDCH 50 SERIES


Image	Description	Code	Price €	PDCH 40E	PDCH 40E-V	PDCH 40E-XV	PDCH 40N	PDCH 40N-V	PDCH 40N-XV	PDCH 50	PDCH 50 V	PDCH 50 XV
	Column extension set, H=600.	8-43700001/15	609,00	-	-	-	O	-	-	-	-	-
	Column extension set, H=1200.	8-43700002/15	1.132,00	-	-	-	O	O	-	-	-	-
	Column extension set, H=600.	8-43700003/15	609,00	O	-	-	-	-	-	-	-	-
	Column extension set, H=1200.	8-43700004/15	1.132,00	O	O	-	-	-	-	-	-	-
	Column extension set, H=600, to transform the hydraulic 2-post lift from H=4470 to H=5070 and from H=5070 to H=4470	8-43100197/00	807,00	-	-	-	-	-	-	-	O	O
	Column extension set, H=1200, to transform the hydraulic 2-post lift from H=3870 and H=4470 to H=5070	8-43100200/00	1.456,00	-	-	-	-	-	-	O	O	-

PDCH 55 XV SERIES
ARMS WITH 4 SYMMETRICAL
TELESCOPIC EXTENSIONS



Code	Electric Supply	Description	Price €
0-43404101/15	230-400V/ 3Ph/ 50-60Hz	PDCH 55 XV, capacity 5500 kg, symmetric arms	12.104,00

COMPULSORY ACCESSORIES - PDCH 55 XV

Image	Description	Code	Price €
	Fixing dowel set	8-43100161	157,00

OPTIONAL ACCESSORIES - PDCH 55XV

Image	Description	Code	Price €
	CRAFTER kit (recommended)	8-43100183	719,00
	Manual emergency descent pump (recommended)	8-41100103	139,00

ELECTRO-HYDRAULIC TWO POST LIFTS

PDCH 45C

THREE-STAGE SYMMETRIC ARMS

Main features:


- Capacity: 4.500 kg.
- Possibility of installation in symmetrical or asymmetric version.
- Lifting system: with hydraulic cylinders and synchronisation with wire ropes on the column top.
- Standard height of two-post connection: 4,050 mm.
- Single motor.
- Electro magnet safety release 24V.
- Three-stage symmetric arms with pads adjustable in height and extensions supplied as standard.
- Anticrushing safety bar as standard.
- Minimum lifting height: 100 mm.
- Maximum lifting height: 2.080 mm.

Also available versions (with optional column extension set):

- V: High version specific for vans (Height of two-post connection: 4,620 mm).
- XV: Extra-above version specific for vans and very high vehicles (Height of two-post connection: 5.220 mm).



4500



PN	Power supply	Description	Price €
0-43107800/15	400V/3Ph/50-60Hz	PDCH 45C - Red RAL 3002 Orange peel - Capacity 4.500 kg.	3.888,00
0-43107802/15	230V/1Ph/50Hz	PDCH 45C - Red RAL 3002 Orange peel - Capacity 4.500 kg.	4.140,00
0-43107803/15	230V/1Ph/60Hz	PDCH 45C - Red RAL 3002 Orange peel - Capacity 4.500 kg.	4.140,00
8-43400217		Customization kit for PDCH 45C (Compulsory)	51,00

ELECTRO-HYDRAULIC TWO POST LIFTS

PDCH 55C

THREE-STAGE SYMMETRIC ARMS

Mainfeatures:

- Capacity: 5.500 kg.
- Possibility of installation in symmetrical or asymmetric version.
- Lifting system: with hydraulic cylinders and synchronisation with wire ropes on the column top.
- Standard height of two-post connection: 4,050 mm.
- Single motor.
- Electro magnet safety release 24V.
- Three-stage symmetric arms with pads adjustable in height and extensions supplied as standard.
- Anticrushing safety bar as standard.
- Minimum lifting height: 100 mm.
- Maximum lifting height: 2.080 mm.

Also available versions (with optional column extension set):

- V: High version specific for vans (Height of two-post connection: 4,620 mm).
- XV: Extra-above version specific for vans and very high vehicles (Height of two-post connection: 5.220 mm).



5500



PN	Power supply	Description	Price €
0-43107700/15	400V/3Ph/50-60Hz	PDCH 55C - Red RAL 3002 Orange peel - Capacity 5.500 kg.	4.506,00
0-43107702/15	230V/1Ph/50Hz	PDCH 55C - Red RAL 3002 Orange peel - Capacity 5.500 kg.	4.780,00
0-43107703/15	230V/1Ph/60Hz	PDCH 55C - Red RAL 3002 Orange peel - Capacity 5.500 kg.	4.780,00
8-43400216		Customization kit for PDCH 55C (Compulsory)	51,00

COMPULSORY ACCESSORIES FOR PDCH 55C - PDCH 45C

Picture	Description	PN	Price €
	Set of masonry screws (16 pcs.). For all models in the range.	8-43100161	157,00


OPTIONAL ACCESSORIES FOR PDCH 55C - PDCH 45C

Picture	Description	PN	Price €
	Column extension set L=600 mm	8-43100224/15	462,00
	Column extension set L=1.200 mm	8-43100225/15	825,00
	Manual emergency descent pump.	8-43100205	155,00


OPTIONAL ACCESSORIES FOR PDCH 55C - PDCH 45C

Picture	Description	PN	Price €
	e-car adapter (1 set = 4 pieces)	NX1316096/00	713,00
	Ø55mm Multi-adapter for Ø50mm pick-up, 1 piece	NX1316051	98,00
	Ø55mm insert adapter with Ø29,5mm pin, for Multi-adapter NX1316051, 1 piece (Maserati)	NX1316052	16,00
	Ø55mm insert adapter with 15mm slot, for Multi-adapter NX1316051, 1 piece (Rocker panel pick-up)	NX1316053	16,00
	Ø55mm insert adapter with Ø20mm pin, for Multi-adapter NX1316051, 1 piece (Tesla)	NX1316054	16,00
	Ø55mm insert adapter with beam shape 55x22,5x28 mm for Multi-adapter NX1316051, 1 piece (BMW & Mercedes EQ models)	NX1316055	16,00
	Ø55mm insert adapter with half cylinder shape 55x26x13 mm for Multi-adapter NX1316051, 1 piece (Audi Q8 & Q8 e-tron)	NX1316056	16,00

PQC 40 SERIES





4000



Code	Electric Supply	Description	Price €
0-43102501/15	400V/ 3Ph/ 50-60Hz	PQC 40 B , low profile, flat runways.	6.928,00
0-43102511/15	230V/ 3Ph/ 50-60Hz	PQC 40 B , low profile, flat runways.	6.928,00
0-43102521/15	230V/ 1Ph/ 50Hz	PQC 40 B , low profile, flat runways.	7.205,00
8-43100173		Customization kit	56,00
0-43102502/15	400V/ 3Ph/ 50-60Hz	PQC 40 B CT , low profile, recessed runways for wheel alignment.	8.312,00
0-43102512/15	230V/ 3Ph/ 50-60Hz	PQC 40 B CT , low profile, recessed runways for wheel alignment.	8.312,00
0-43102522/15	230V/ 1Ph/ 50Hz	PQC 40 B CT , low profile, recessed runways for wheel alignment.	8.587,00
8-43100174		Customization kit	56,00
0-43103701/15	400V/ 3Ph/ 50-60Hz	PQC 40 W CT , wheel alignment runways.	9.711,00
0-43103711/15	230V/ 3Ph/ 50-60Hz	PQC 40 W CT , wheel alignment runways.	9.711,00
0-43103721/15	230V/ 1Ph/ 50Hz	PQC 40 W CT , wheel alignment runways.	9.990,00
8-43100175		Customization kit	56,00
Extra-charge for special colors			699,00
Antioxidant treatment with cataphoresis (for further info, please contact the export dept.)			2.560,00

PQC 50 SERIES

5000




Code	Electric Supply	Description	Price €
0-43103801/15	400V/ 3Ph/ 50-60Hz	PQC 50 W , recessed runways for wheel alignment.	10.270,00
0-43103811/15	230V/ 3Ph/ 50-60Hz	PQC 50 W , recessed runways for wheel alignment.	10.270,00
0-43103821/15	230V/ 1Ph/ 50Hz	PQC 50 W , recessed runways for wheel alignment.	10.546,00
8-43400006		Customization kit	56,00
0-43103802/15	400V/ 3Ph/ 50-60Hz	PQC 50 W CT , wheel alignment runways.	11.712,00
0-43103812/15	230V/ 3Ph/ 50-60Hz	PQC 50 W CT , wheel alignment runways.	11.712,00
0-43103822/15	230V/ 1Ph/ 50Hz	PQC 50 W CT , wheel alignment runways.	11.983,00
8-43100176		Customization kit	56,00
0-43409701/15	400V/ 3Ph/ 50-60Hz	PQC 50 CT LT EVO , wheel alignment runways, Lift Table.	17.254,00
0-43409711/15	230V/ 3Ph/ 50-60Hz	PQC 50 CT LT EVO , wheel alignment runways, Lift Table.	17.254,00
0-43409721/15	230V/ 1Ph/ 50Hz	PQC 50 CT LT EVO , wheel alignment runways, Lift Table.	17.315,00
Extra-charge for special colors			699,00
Antioxidant treatment with cataphoresis (for further info, please contact the export dept.)			2.560,00


COMPULSORY ACCESSORIES PQC 40 - PQC 50 SERIES

Image	Description	Code	Price €	PQC 40B	PQC 40B CT	PQC 40 W CT	PQC 50 W	PQC 50 W CT	PQC 50 CT LT
	Anchor set.	8-43100162	139,00	O	O	O	O	O	O

OPTIONAL ACCESSORIES PQC 40 - PQC 50 SERIES


Image	Description	Code	Price €	PQC 40B	PQC 40B CT	PQC 40 W CT	PQC 50 W	PQC 50 W CT	PQC 50 CT LT
	Manual emergency descent pump.	8-41100103	139,00	O	O	O	O	O	O
	Turntables set.	8-43100163	1.209,00	-	-	-	O	-	-
	Turntables set H=31 mm	8-43100166	1.209,00	-	O	-	-	-	-

OPTIONAL ACCESSORIES PQC 40 - PQC 50 SERIES

Image	Description	Code	Price €	PQC 40B	PQC 40B CT	PQC 40 W CT	PQC 50 W	PQC 50 W CT	PQC 50 CT LT
	Pair of car mechanical turntables with ROC Push-mode kit (400x450x50H mm).	8-33100102	799,00	-	-	O	-	O	O
IMAGE NOT AVAILABLE	Ramps kit (2 pcs) for « drive-through » installation, length = 900mm	8-43100249	559,00	-	-	O	O	O	-
	JB 20 - pneumo-hydraulic scissor lift cross-bar.	8-42100120	2.504,00	O	O	O	O	O	O
	Customization kit for JB 20.	8-43100181	56,00	O	O	O	O	O	O
IMAGE NOT AVAILABLE	Short flaps for drive-over, for recessed 4-post lift, 1 set = 2 pcs	8-43100219	191,00	-	-	O	O	O	-

S 227

2500



Code	Description	Price €
0-44100901/15	S 227 pneumatic platform lift.	3.646,00
Extra-charge for special colors		160,00

OPTIONAL ACCESSORIES S 227

Image	Description	Code	Price €
	Set of 4 telescopic arms.	8-42600015	1.324,00

MOTORCYCLE LIFTS

PM 26

MANUAL WHEEL FIXING
SICKLE CLAMP INCLUDED

600



PM 23

MANUAL WHEEL FIXING
SICKLE CLAMP INCLUDED




300





Code	Electric Supply	Description	Price €
0-42107200/16	400V/3Ph/50-60Hz	PM 26	3.403,00
0-42107201/16	230V/1Ph/50-60Hz	PM 26	3.743,00
Extra-charge for special colors			163,00

Code	Electric Supply	Description	Price €
0-42107100/16	AIR HYDRAULIC	PM 23	2.679,00
Extra-charge for special colors			163,00


OPTIONAL ACCESSORIES PM 26 - PM 23

Image	Description	Code	Price €	PM 26	PM 23
	PC Pneumatic manual fixing sickle clamp.	8-42600001	848,00	○	○
	ML Manual wheel fixing sickle clamp.	8-42600002	433,00	○	○
	Pneumatic wheel fixing sickle clamp, pedal operated.	8-42600006	1.018,00	○	○
	Wearproof top.	8-42600010	84,00	○	○
	Spent oil <i>recovery tank</i> .	8-42600011	221,00	-	○

OPTIONAL ACCESSORIES PM 26 - PM 23

Image	Description	Code	Price €		
				PM 26	PM 23
IMAGE NOT AVAILABLE	Spent oil <i>recovery tank</i> .	8-42300006	227,00	○	-
	<i>Tools holder</i> .	8-42600012	84,00	○	○
	<i>Support</i> for side stand.	8-42300002	66,00	○	○
	<i>Fixing belts</i> (pair).	8-42300003	84,00	○	○
	<i>Drive-throught kit</i> .	8-42300004	116,00	○	-
IMAGE NOT AVAILABLE	<i>In-pit installation kit</i> .	8-41600017	448,00	○	-

OPTIONAL ACCESSORIES PM 26 - PM 23

Image	Description	Code	Price €	PM 26	PM 23
	Set of 4 runways side extensions.	8-42300008	722,00	○	-
	CM300 Stand kit. 300 kg capacity.	8-45600001	602,00	○	○
	Stand kit for CM 300 (4 pcs: 2 long and 2 short).	8-45600005	209,00	○	○

K002



K118




K240



K240P



K330



K440



Code	Description	Price €
0-43302002/16	K002 CE lifting capacity 2000 kg.	2.367,00
0-43302118/16	K118 lifting capacity 16000 kg.	3.930,00
0-43302240/16	K240 lifting capacity 28000 kg.	2.949,00
0-43302241/16	K240P lifting capacity 28000 kg. (economic lever)	2.721,00
0-43302330/16	K330 lifting capacity 60000 kg.	3.533,00
0-43302440/16	K440 lifting capacity 40000 kg.	2.412,00

LIFTS FOR TRUCKS AND INDUSTRIAL VEHICLES WITH MOBILE COLUMNS

MC 75



POWER CABLE NOT INCLUDED



**WITH HELM
HYDRAULIC CONTROL**



**VERSION WITH
ADJUSTABLE FORKS**

7500



Code	Electrical Supply	Description	Price €
0-43401200/15	400V/ 3Ph/ 50Hz	MC 75-4 Set of 4 electromechanical mobile columns, 7.5 tons	26.845,00
0-43401202/15	230V/ 3Ph/ 60Hz	MC 75-4 Set of 4 electromechanical mobile columns, 7.5 tons	26.845,00
0-43401210/15	400V/ 3Ph/ 50Hz	MC 75-2 Set of 2 electromechanical mobile columns, 7.5 tons (in addition to MC 75-4)	14.728,00
0-43401212/15	230V/ 3Ph/ 60Hz	MC 75-2 Set of 2 electromechanical mobile columns, 7.5 tons (in addition to MC 75-4)	14.728,00
0-43401230/15	400V/ 3Ph/ 50Hz	MC 75-4 Set of 4 electromechanical mobile columns, 7.5 tons, with adjustable forks	30.280,00
0-43401232/15	230V/ 3Ph/ 60Hz	MC 75-4 Set of 4 electromechanical mobile columns, 7.5 tons, with adjustable forks	30.280,00
0-43401240/15	400V/ 3Ph/ 50Hz	MC 75-2 Set of 2 electromechanical mobile columns, 7.5 tons (in addition to MC 75-4) with adjustable forks	19.262,00
0-43401242/15	230V/ 3Ph/ 60Hz	MC 75-2 Set of 2 electromechanical mobile columns, 7.5 tons (in addition to MC 75-4) with adjustable forks	19.262,00
Extra-charge for special colors, for each column			156,00

MC 55




WITH HELM
MECHANICAL
OPERATION



VERSION WITH
ADJUSTABLE FORKS



5500




POWER CABLE NOT INCLUDED

Code	Electrical Supply	Description	Price €
0-43401300/15	400V/ 3Ph/ 50Hz	MC 55-4 Set of 4 electromechanical mobile columns, 5.5 tons.	23.975,00
0-43401302/15	230V/ 3Ph/ 60Hz	MC 55-4 Set of 4 electromechanical mobile columns, 5.5 tons.	23.975,00
0-43401310/15	400V/ 3Ph/ 50Hz	MC 55-2 Set of 2 electromechanical mobile columns, 5.5 tons (in addition to MC 55-4).	11.984,00
0-43401312/15	230V/ 3Ph/ 60Hz	MC 55-2 Set of 2 electromechanical mobile columns, 5.5 tons (in addition to MC 55-4).	11.984,00
0-43401330/15	400V/ 3Ph/ 50Hz	MC 55-4 Set of 4 electromechanical mobile columns, 5.5 tons, with adjustable forks.	27.144,00
0-43401332/15	230V/ 3Ph/ 60Hz	MC 55-4 Set of 4 electromechanical mobile columns, 5.5 tons, with adjustable forks.	27.144,00
0-43401340/15	400V/ 3Ph/ 50Hz	MC 55-2 Set of 2 electromechanical mobile columns, 5.5 tons (in addition to MC 55-4) with adjustable forks.	13.462,00
0-43401342/15	230V/ 3Ph/ 60Hz	MC 55-2 Set of 2 electromechanical mobile columns, 5.5 tons (in addition to MC 55-4) with adjustable forks.	13.462,00
Extra-charge for special colors, for each column			156,00

OPTIONAL ACCESSORIES - MC 75 - MC 55

Image	Description	Code	Price €
	Complete <i>remote control unit</i>	8-43100208	972,00
	Complete <i>cart</i>	8-43100210/00	995,00
	<i>Extensions</i> for forks 150mm (2cs); for one column.	8-43120008	558,00
	<i>Adapters kit</i> for wheels Ø 700 to 500mm (2 pcs); for one column.	8-43120009	456,00
	<i>Adapters kit</i> for wheels Ø 800 to 700mm (2 pcs); for one column.	8-43120010	371,00
	<i>Adapters kit</i> for wheels Ø 900 to 800mm (2 pcs); for one column.	8-43120011	342,00
	<i>Free crossbar wheels</i> , 15 tons.	8-43120012	4.301,00

OPTIONAL ACCESSORIES - MC 75 - MC 55

Image	Description	Code	Price €
	Warning light , for one column.	8-43120013	190,00
	One small column H 1403/2000 mm, with 70mmscrew, 7.5 tons.	8-43120014	1.176,00
	One small column H 1403/2000 mm, with 70mmscrew, 10 tons.	8-43120015	1.398,00
	10 mt-cable + connection kit for 6 to 8 columns.	8-43120016	330,00
IMAGE NOT AVAILABLE	Ramps kit (2 pcs) for « drive-through » installation, length = 900mm	8-43100249	559,00

